

Titel Index  
Ion Index

## **C**

Cation Chromatography

## **N**

Non-Suppressed  
Anion Chromatography

**Ion  
Chromatography**

## **O**

Ion Exclusion and Ion Pair  
Chromatography

**Application Notes**

## **P**

Ion chromatography with  
Pulsed Amperometric  
Detection

## **Q**

On-Line Ion Chromatography

## **S**

Suppressed Anion  
Chromatography

## **U**

Ion Chromatography with  
UV/VIS Detection

# IC Application Notes: Title Index

## Application Notes using Cation Chromatography

No.	Title
C-1	Sodium, potassium, calcium and magnesium in drinking water
C-2	Sodium, potassium, calcium and magnesium in cooling water
C-3	Sodium, ammonium and potassium in hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )
C-4	Sodium, potassium, calcium and magnesium in a hemodialysis solution
C-5	Five cations in a solution containing a sarcosine derivative
C-6	Iron, calcium and magnesium in silica gel
C-7	Determination of monoethanolamine, diethanolamine and triethanolamine
C-8	3-Dimethylamino-1-propylamine in cocoamidopropyl betain
C-9	Four cations in isotonic solutions
C-10	Four cations in wine
C-11	Magnesium, strontium and barium in pyrotechnic mixtures
C-12	Determination of alkali and alkaline earth metal cations
C-13	Five cations in sugar-containing solutions
C-14	Sodium, ammonium, potassium, calcium and magnesium in waste water
C-15	Five cations in high-pressure steam
C-16	Ammonium in oil refinery process water
C-17	Calcium and magnesium in pharmaceutical extracts
C-18	Eight cations in sewage sludge after digestion with HNO <sub>3</sub>
C-19	Five cations in rain water
C-20	Reproducibility of 10 injections in the ppb range on the Metrohm IC system
C-21	Cation determination in the low ppb range
C-22	Sodium, potassium, calcium and magnesium in a drip feeding formula using dialysis for sample preparation
C-23	Sodium, ammonium, diethanolamine, diglycolamine and potassium in waste water
C-24	Ammonium and guanidinium in urea
C-25	Six cations in bath salts (sea salt)
C-26	Five cations in blood serum
C-27	Calcium, magnesium and potassium in sodium carbonate
C-28	Four cations in an instant baby milk powder using dialysis for sample preparation
C-29	Four cations in a soy-based dessert crème using dialysis for sample preparation
C-30	Four cations in a soy drink (chocolate flavor) using dialysis for sample preparation
C-31	Calcium and magnesium in high-purity sodium chloride
C-32	Noise reduction in non-suppressed ion chromatography using the 732 IC Detector – the benefits of the Metrohm auto zero / full scale approach
C-33	Four cations in sea water
C-34	Four cations in additives for building materials
C-35	Six cations in mineral extracts
C-36	Six cations in a protein formulation using dialysis for sample preparation
C-37	Lithium, sodium and ammonium in lithium hexafluorophosphate
C-38	Five cations in 4% boric acid

- C-39 Five cations in offshore water
- C-40 Calcium and magnesium in rock extracts
- C-41 Sodium, potassium and calcium in an infusion solution containing amino acids
- C-42 Five cations in soil water
- C-43 Potassium and magnesium in potato juice
- C-44 Five cations in tap water
- C-45 Magnesium in ammonium sulfate
- C-46 Five cations in foodstuffs after sulfuric acid digestion
- C-47 Calcium and magnesium in filtration extracts from wine making process
- C-48 Five cations in alcohol-free beer with strawberry flavor
- C-49 Trace cations in power plant feed water stabilized with 7 ppm monoethanolamine (MEA)
- C-50 Zinc, sodium, potassium, manganese and magnesium in nutritional trace element mixture
- C-51 Determination of aluminium using post column reaction and UV detection
- C-52 Determination of cations and ethanolamines
- C-53 Determination of magnesium and barium besides large amounts of calcium
- C-54 Potassium, iron, magnesium and calcium in clay
- C-55 Determination of lead, zinc, indium, cadmium, cobalt, ammonium, potassium, manganese, magnesium and calcium
- C-56 Sodium, ammonium, methylamine, guanidine and aminoguanidine in waste water
- C-57 Separation of six amines on the Metrosep C 2 column
- C-58 N-Methyldiethanolamine (MDEA) in the presence of standard cations in waste water
- C-59 Sodium, ammonium and potassium in polyethers
- C-60 Magnesium, strontium and barium in produced water (11 g/L sodium)
- C-61 Zinc and manganese besides standard cations in an extract of a zinc compound
- C-62 Five cations including iron in monoethylene glycol (MEG)
- C-63 Five cations in lithium bromide using post column reaction
- C-64 Five cations in betain
- C-65 Five cations in inositol
- C-66 Four cations in the water soluble fraction of a washing powder
- C-67 Cations in grapefruit soft drink using inline dialysis
- C-68 Cations in functional fruit juice using inline dialysis
- C-69 Zinc, sodium, calcium and magnesium in an industrial bath
- C-70 Cations and biogenic amines in wine
- C-71 Choline in a saline solution
- C-72 Sodium and potassium in a polyol solution
- C-73 Calcium and magnesium in dolomite
- C-74 Trimethylamine in hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>)
- C-75 Sodium and ammonium (2000 : 1) besides standard cations
- C-76 Sodium and ammonium in 25 % DEA (diethanolamine)
- C-77 Amines and ethanolamines
- C-78 Methanolamines besides alkali and alkaline earth metal cations
- C-79 Nickel, zinc, cobalt, iron(II) and manganese in lithium bromide using post-column reaction
- C-80 Bethanechol chloride and calcium in tablets
- C-81 Bethanechol chloride and HPTA (2-hydroxy-propyl-trimethyl ammonium chloride) besides sodium and calcium

- C-82 Ammonium, magnesium and calcium in fertilizer
- C-83 Online monitoring of trace levels of cations in boiler feed water
- C-84 Ammonium, magnesium and calcium in liquid fertilizer
- C-85 Betain in an Echinacea product
- C-86 Zinc and standard cations in infusion solutions
- C-87 Cations in human urine
- C-88 Ammonia (NH<sub>3</sub>) in tobacco smoke
- C-89 Dodecyl guanidinium in industrial water
- C-90 Traces of zinc and iron(II) besides the standard cations
- C-91 Magnesium, manganese and zinc in zinc sulfate solution
- C-92 Amines in Fish
- C-93 Four amines besides standard cations with preconcentration
- C-94 Methylamine, isopropylamine, diethylamine and diethylethanolamine with preconcentration
- C-95 Methylamine (MMA), dimethylamine (DMA) and trimethylamine (TMA) in methylpyrrolidone applying Metrohm Inline Matrix Elimination
- C-96 Trace analysis of monovalent cations in ethanolamine matrix (secondary cycle of a pressurized water reactor) applying Metrohm Inline Sample Preparation with an 800 Dosino for liquid handling
- C-97 Cations in ethanol used as bio-fuel
- C-98 Lanthanides by Ion Chromatography applying non-suppressed conductivity detection
- C-99 Lanthanides in a rock sample by Ion Chromatography applying non-suppressed conductivity detection
- C-100 Choline in infant milk powder using online dialysis
- C-101 Cations in biodiesel with fully automated aqueous extraction and subsequent dialysis
- C-102 Standard cations in orange juice
- C-103 Standard cations in lake water on the Metrosep C 3 - 250 column
- C-104 Low levels of ammonium besides standard cations on the Metrosep C 3 - 250 column
- C-105 Copper, zinc, iron(II) and manganese in Wine by ion chromatography with post-column reaction and UV/VIS detection
- C-106 Lanthanides by ion chromatography with post-column reaction and UV/VIS detection

# IC Application Notes: Title Index

## Application Notes using Ion Chromatography coupled with MS (IC/MS)

No.	Title
M-1	Aliphatic monocarboxylic acids in produced water using IC/MS coupling
M-2	Chlorite, chlorate and perchlorate in explosion residue applying IC/MS coupling
M-3	Phosphate in produced water applying IC/MS coupling after sample preparation by inline dialysis
M-4	Traces of bromide and bromate in drinking water by IC-MS, determination of the Method Detection Limit (MDL)
M-5	Traces of diethylamine and triethylamine by IC MS

# IC Application Notes: Title Index

## Application Notes using Non-Suppressed Anion Chromatography

No.	Title
N-1	Nitrate and perchlorate in hydrochloric acid eluate
N-2	Determination of methylarsonic acid and dimethylarsinic acid
N-3	Five anions in solder paste
N-4	Fluoride, chloride, bromide, nitrate and sulfate in organic substances after Schöniger combustion
N-5	Traces of silica (SiO <sub>2</sub> ) in water (e.g. boiler water) after preconcentration
N-6	Chloride, nitrate, phosphate, sulfate and oxalate in dried potatoes
N-7	Acetate and methanesulfonate in an organic disodium salt
N-8	Five anions in an organic solvent (toluene)
N-9	Carbonate in an amine solution
N-10	Chloride, nitrate, phosphate and sulfate in plant leaf extracts
N-11	Chloride, bromide and iodide in alkaline combustion solutions
N-12	Acetate, lactate and chloride in electrolyte solutions
N-13	Chloride, nitrate and sulfate in sugar-containing solutions
N-14	Five anions in effluent water
N-15	Determination of pyrophosphate, tripolyphosphate and trimetaphosphate
N-16	Tetrafluoroborate in antibiotics
N-17	Determination of iodide in the presence of a large excess of chloride and sulfate in washing water
N-18	Determination of anions in milk using dialysis for sample preparation
N-19	Fast determination of anions on the Metrosep Anion Dual 1 column (6.1006.040)
N-20	Determination of chloride and sulfate in borax pentahydrate
N-21	Six anions in gold mine process water
N-22	Traces of iodide in hydrochloric acid (25%) using amperometric detection
N-23	Traces of chloride, nitrate and sulfate in butyrolactone
N-24	Traces of carbonate in urea
N-25	Traces of nitrite, thiosulfate and iodide using amperometric detection
N-26	Traces of sulfide and cyanide in seepage water using amperometric detection
N-27	Traces of bromide and iodide using amperometric detection
N-28	Traces of bromide in hydrochloric acid (32%) using amperometric detection
N-29	Bromide and sulfate in formation water
N-30	Nitrate, sulfate and thiocyanate in additives for building materials
N-31	Chloride, nitrate and sulfate in wine
N-32	Chloride, nitrate and sulfate in extracts from explosive materials
N-33	Fluoride and chloride in gypsum
N-34	Sulfate in gypsum
N-35	Standard anions in galvanic sludge. Comparison of IC methods
N-36	Tartrate, nitrate and sulfate in a zinc/manganese solution
N-37	Perchlorate in process water
N-38	Traces of iodide in acetic acid using amperometric detection

- N-39 Iodide in waste water (dye industry) using dialysis for sample preparation
- N-40 Cyanide in a standard solution using the Metrosep A Supp 1 column
- N-41 Borate, chloride and sulfate in a single run applying a step gradient
- N-42 Silicate and borate in ethylene glycol
- N-43 Sulfate in citric acid
- N-44 Silicate in tap water
- N-45 Chromate using post column reaction
- N-46 Determination of fosetyl-aluminum by non-suppressed ion chromatography
- N-47 Bromate determination using post column reaction (triiodide method)
- N-48 Carbonate in washing powder
- N-49 Borate and silicate in washing powder
- N-50 Chromium(VI) in a leather extract
- N-51 Acetate, chloride, citrate and sulfate in a concentrate of an infusion solution containing amino acids and dipeptides
  
- N-52 Caffeine in cola soft drinks
- N-53 Bromide in calcium chloride using UV detection
- N-54 Borate and silicate in ultrapure water
- N-55 HEDPA, PBTC and NTP
- N-56 Silicate besides fluoride in tap water
- N-57 Chloride and sulfate in reactive dye
- N-58 LOD and LOQ for silicate and borate determination according to EPA (MDL procedure)
- N-59 LOD and LOQ for silicate determination besides fluoride according to EPA (MDL procedure)
- N-60 Online monitoring of trace levels of silicate in boiler feed water
- N-61 Acetate, chloride and malate in infusion solutions
- N-62 Acetate, phosphate, chloride and citrate in infusion solutions
- N-63 Nitrate in nickel plating bath
- N-64 Sodium dodecylsulfate (SDS) in water
- N-65 Borate in borate effluent
- N-67 Sulfide and cyanide in drinking water
- N-68 Four phenols in tap water by amperometric detection

# IC Application Notes: Title Index

## Application Notes using Ion Exclusion and Ion Pair Chromatography

No.	Title
O-1	Fatty acids (C12 ... C18) with ion pair chromatography
O-2	Glycolic acid and monochloroacetic acid in cocoamidopropyl betain
O-3	Citrate and acetate in isotonic solutions
O-4	Organic acids and phosphate in lemon vinegar
O-5	Organic acids using the «Hypersil Carbohydrate H+» column
O-6	Organic acids and phosphate in wine
O-7	Citric acid and ascorbic acid in vitamin tablets
O-8	Citric acid and tartaric acid in fruit salt
O-9	Determination of eight organic acids and phosphate using the Metrosep Organic Acids column
O-10	Gluconic acid and glycolic acid
O-11	Citrate and saccharin in a nickel plating bath
O-12	Gluconate and salicylate in a zinc plating bath
O-13	Lactate, formate and acetate in a cataphoretic paint bath
O-14	Citrate, fluoride, lactate and acetate in a plating bath
O-15	C1 ... C6 carboxylic acids in aqueous absorption solutions
O-16	Separation of eight carboxylic acids
O-17	Glycolic acid, formic acid, acetic acid and carbonic acid in a scrubber solution
O-18	Boric acid and acetic acid in a process water
O-19	Comparison of suppressed and non-suppressed detection in ion exclusion chromatography
O-20	Citric acid and lactic acid in an elctroplating bath
O-21	Six organic acids in a process water of paper industry
O-22	Seven organic acids in potato juice
O-23	Carbonate in aqueous ammonia solution
O-24	Citrate, ascorbate and acetate in a food additive
O-25	Sorbate and benzoate in functional drinks
O-26	L-Lactide, citrate and lactate in acetone solution
O-27	Citrate, succinate, lactate, $\beta$ -hydroxybutyrate and acetate in dry albumin powder using dialysis as sample preparation
O-28	Citrate, ascorbate and acetate in photographic developer solution
O-29	Organic acids in animal foodstuffs
O-30	Carbonate in tap water using ion exclusion chromatography
O-31	Carbonate in sparkling water using ion exclusion chromatography
O-32	Malate and ascorbate in fruit juice
O-33	Glycolic and lactic acid besides N-methyl pyrrolidone
O-34	Aliphatic monocarboxylic acids in produced water using IC/MS coupling
O-35	Acetate and formate in amine solutions
O-36	The use of Metrohm CO <sub>2</sub> Suppressor (MCS) in the determination of organic acids
O-37	Organic acids in roasted coffee
O-38	Separation of various sulfur/nitrogen compounds using ion pair chromatography



# IC Application Notes: Title Index

## Application Notes using Pulsed Amperometric Detection Ion Chromatography

No.	Title
P-1	Selectivity of the Metrosep Carb 1 column
P-2	Xylitol, sorbitol, mannitol and glucose in sugarless chewing gum
P-3	Glucose, fructose and sucrose in a cola drink
P-4	Mannitol, glucose and xylose in a diet cola drink
P-5	Seven carbohydrates in milk after sample preparation by inline dialysis
P-6	Inositol, glucose, fructose and sucrose in orange juice
P-7	Ten carbohydrates in chocolate
P-8	Galactose, lactose and sucrose in dairy products.
P-9	Sorbitol and mannitol in maltitol syrup
P-10	Determination of the purity of a sugar concentrate
P-11	Six carbohydrates in a sugar solution
P-12	Glucose, fructose, maltose, maltotriose and maltotetraose in a sugar concentrate
P-13	Free sugar components in an instant coffee powder
P-14	Eight sugar components in an explosive material
P-15	Separation of polysaccharides (Inulin)
P-16	Glucosamine, galactosamine, sorbitol and N-acetyl-glucosamine in a pharmaceutical product
P-17	Propylene glycol in a bitter (dark beer)
P-18	Glucose, maltose and maltose derivatives in malt extract
P-19	Sucrose, glucose and sucralose in low-calorie sweetener
P-20	Inositol, fucose, glucose, xylose and sucrose in plant extract
P-21	Glucose, fructose and sucrose in vodka
P-22	Glucose, fructose and sucrose in amino acid solution
P-23	Fermentable sugars in beer wort
P-24	Glucose, fructose and sucrose in a plant extract after enzymatic hydrolysis of the starch
P-25	Glycerol and five carbohydrates in functional food
P-26	Glucose, fructose and sucrose in a potato extract
P-27	Maltodextrin (DP1 – 40) in a pharmaceutical product
P-28	Polysaccharides in potato starch
P-29	Polysaccharides in a plant extract
P-30	Neomycin in a pharmaceutical product
P-31	Glucose and fructose in honey
P-32	Gentamicin according to Ph.Eur.
P-33	Cellobiose in apple juice
P-34	Sugars and sugar alcohols in beer
P-36	Determination of free and total sugar in instant coffee (according ISO 11 292)
P-37	Gentamicin sulfate with pulsed amperometric detection

# IC Application Notes: Title Index

## Application Notes using Online IC

No.	Title
Q-1	Online monitoring of trace levels silicate in boiler feed water
Q-2	Online monitoring of trace levels of cations in boiler feed water
Q-3	Online monitoring of trace levels of anions in boiler feed water

# IC Application Notes: Title Index

## Application Notes using Suppressed Anion Chromatography

No.	Title
S-1	Nitrate, phosphate and sulfate in hydrogen peroxide (H <sub>2</sub> O <sub>2</sub> )
S-2	Trace anions in water (fluoride, formate, cyanate, bromide, chlorate)
S-3	Fluoride, chloride, nitrate and sulfate in drinking water
S-4	Chloride, sulfate and iodide in 59% manganese bromide solution
S-5	Six anions in cooling water
S-6	Hypophosphite, phosphate and organic acids in ethylene glycol
S-7	Chloride, nitrate, phosphate and sulfate in waste water
S-8	Six standard anions in surface water
S-9	Six standard anions in soil eluate
S-10	Fluoride in pharmaceutical products
S-11	Phosphate and tetrafluoroborate in 2% hydrofluoric acid
S-12	Determination of lactate, chloride, nitrate, sulfite and phosphate in wine
S-13	Selectivity of the «Metrosep Anion Dual 1» column using a carbonate/bicarbonate eluent
S-14	Selectivity of the «Metrosep Anion Dual 2» column using a carbonate/bicarbonate eluent with addition of acetone
S-15	Chlorite and chlorate in tap water
S-16	Anions in a cola drink
S-17	Chloride, bromide and sulfate in sea water
S-18	Fluoride, formate, chloride, nitrite, bromide, nitrate, phosphate and sulfate in process water
S-19	Determination of chloride, sulfate, oxalate and fumarate
S-20	Nitrite and nitrate in waste water
S-21	Chloride and sulfate in nitric acid (55%)
S-22	Chloride, sulfite and sulfate in a surfactant solution
S-23	Phosphate and sulfate in a cleaning solution
S-24	Fluoride, chloride and nitrate in an acidic nickel/zinc bath
S-25	Chloride, bromide, phosphate and sulfate in an ashed baking additive
S-26	Speciation of phosphate and phosphite
S-27	Acetate in dyestuffs
S-28	ppb levels of anions
S-29	Anions in an etching reagent
S-30	Anions in high-pressure steam
S-31	Anions in a concentrated acid mixture (HCl)
S-32	ppt analysis (ng/L) in ion chromatography
S-33	Five anions in surface water (nitrite with ELCD)
S-34	Traces of chloride in potassium cyanaurate
S-35	Sulfate in industrial waste water after digestion
S-36	The use of the MSM in the determination of NTA, EDTA and DTPA in water samples
S-37	Determination of fluoride in pharmaceutical extracts
S-38	Anions in waste water with a high organic load using dialysis for sample preparation

- S-39 Bromide and phosphate in waste dump drainage water using dialysis for sample preparation
- S-40 Five anions in cutting oil emulsions using dialysis for sample preparation
- S-41 Sulfate in diesel engine coolant using dialysis for sample preparation
- S-42 Traces of bromide and phosphate in process effluent with a high organic load using dialysis for sample preparation
  
- S-43 Four anions in beetroot juice using dialysis for sample preparation
- S-44 Chloride, phosphate and sulfate in milk using dialysis for sample preparation
- S-45 Traces of bromate in tap water without preconcentration
- S-46 Fast determination of anions on the Metrosep Anion Dual 1 column (6.1006.040)
- S-47 Bromide and sulfate in a pharmaceutical product
- S-48 Traces of chloride in a technical product containing benzotriazole and sulfuric acid
- S-49 Nitrate, phosphate and sulfate in fertilizer after digestion with HCl
- S-50 Chloride, nitrate and sulfate in methanol
- S-51 Chloride, sulfate, chromate and sulfonic acids in a chromium plating bath
- S-52 Anions in rain water
- S-53 Four anions in boric acid
- S-55 Reproducibility of 18 injections in the ppb range on the Metrohm IC system using the MSM
- S-56 Traces of chloride in ultrapure water under clean room conditions
- S-57 Acetate and benzoate together with the standard anions
- S-58 Iodide besides the standard anions in leach solution
- S-59 Acetate, chloride, phosphate and succinate in an infusion solution
- S-60 Traces of chloride, cyanate, nitrate and sulfate in urea
- S-61 Anions in ink using dialysis for sample preparation
- S-62 Fluoride, chloride, bromide and sulfate in bath salts (sea salt)
- S-63 Phosphate and phosphite in poly(vinylphosphonic acid) using dialysis for sample preparation
- S-64 Glycolate, acetate and chloride in monochloroacetic acid
- S-65 Chloride and sulfate in dust
- S-66 Trace anions in boric acid after preconcentration
- S-67 Traces of chloride and sulfate in a developing bath
- S-68 Traces of anions in 15% NaOH after inline sample neutralization using the MSM
- S-69 Chloride, bromide, sulfate in waste water (photographic industry)
- S-70 Trace anions in waste water (photographic industry) using amperometric detection
- S-71 Traces of chlorite and nitrite using amperometric detection
- S-72 Acetate, propionate and formate as well as chloride in water
- S-73 Determination of four anions in sea water
- S-74 Traces of chloride, chlorate and sulfate in caustic soda (50% NaOH)
- S-75 Five anions in glutamine monofluorophosphate
- S-76 Six anions in waste water
- S-77 Traces of iodide in common salt using amperometric detection
- S-78 Determination of four halides in industrial waste after combustion
- S-79 Four anions in corrosion powder
- S-80 Chloride, nitrate and sulfate in snow
- S-81 Acetate, chloride, nitrate and sulfate in aluminum oxide
- S-82 Chloride in an eloxal bath

- S-83 Four anions in vodka
- S-84 Chloride, phosphate, phosphite and sulfate in a dye solution
- S-85 Bromide in sodium chloride
- S-86 Five anions in mineral extracts
- S-87 Sulfate in hydroxylamine (50%)
- S-88 Acetate, monochloroacetate and dichloroacetate in a standard solution
- S-89 Acetate and dichloroacetate in monochloroacetic acid
- S-90 Four anions in a protein formulation using dialysis for sample preparation
- S-91 Gluconate, fluoride, chloride, nitrate and salicylate in a standard solution
- S-92 Standard anions in galvanic sludge. Comparison of IC methods
- S-93 Nitrate, phosphare, sulfate and chromate in a cataphoretic paint bath
- S-94 Chloroacetates in long-chain carboxylic acids using dialysis for sample preparation
- S-95 Determination of sulfide in ginger powder using dialysis for sample preparation
- S-96 Nitrate, phosphate, tungstate and tetrafluoroborate in a zinc/manganese solution
- S-97 Phosphate in sewage sludge after aqua regia digestion
- S-98 Tetrafluoroborate, trifluoromethanesulfonate and perchlorate in a lithium perchlorate solution
- S-99 Traces of bromide and sulfate in brine
- S-100 Nine anions in colored liquors
- S-101 Chloride and sulfate in potassium tetraborate
- S-102 Fluoride, sulfate, iodide and molybdate in mineral tablets
- S-103 Five anions in water for infusion solutions
- S-104 Nitrate and sulfate in sodium phosphinate
- S-105 Traces of chlorite and bromate in tap water without preconcentration
- S-106 Four anions in process waste water using the Metrosep A Supp 1 column
- S-107 Five anions in waste water using the Metrosep A Supp 3 column
- S-108 Five anions in an electroplating bath after inline elimination of heavy metals
- S-109 Six anions in Schöniger absorption solution using the Metrosep A Supp 5 column
- S-110 Six anions including methylsulfate in a standard solution
- S-111 Traces of chromate in a dyestuff solution
- S-112 Five organic acids in fruit juice using chemical suppression after ion exclusion separation
- S-113 Chloride in brass
- S-114 Sulfate in methanesulfonic acid
- S-115 System peak in suppressed ion chromatography
- S-116 Borate, chloride and sulfate in a single run applying a step gradient
- S-117 Chloride, nitrate and sulfate in sodium thiocyanate
- S-118 Formate, acetate, chloride, benzoate and oxalate in phenolic extracts
- S-119 Acetate, chloride, sulfate and citrate in a pharmaceutical product
- S-120 Fluoride, chloride, phosphate, monofluorophosphate and sulfate in toothpaste
- S-121 Fluoride, glycolate, monochloroacetate and chloride in a surfactant solution
- S-122 Fluoride, glycolate, chloride and oxalate in a latex dispersion
- S-123 Five anions in meat extracts
- S-124 Chlorite, chloride, sulfite and oxalate in beer
- S-125 Determination of complexing agents
- S-126 Five anions in NaOH after inline neutralization

- S-127 Five anions in human urine
- S-128 Chlorate, nitrate and perchlorate in firecracker powder
- S-129 Total phosphate in waste water after digestion with peroxodisulfate
- S-130 Six anions in PVC
- S-131 Determination of lactate, acetate, chloride, methylsulfate, bromide and sulfate
- S-132 Citrate, pyrophosphate, maltol, IMP and GMP in a mixture of sodium and potassium chloride with conductivity and UV detection
- S-133 Four anions in waste water after inline removal of excess chloride
- S-134 Trace anions in the presence of 1 g/L of chloride
- S-135 Eight anions in river water
- S-136 Adipic and phthalic acid in a digestion solution
- S-137 Fluoride in adipic acid
- S-138 Polyphosphates in the presence of the standard anions
- S-139 Sulfite, oxalate, thiosulfate and thiocyanate in the presence of the standard anions
- S-140 Iodide, thiosulfate and thiocyanate in the presence of the standard anions
- S-141 Chloride, nitrate, phosphate, sulfate and citrate in beverages
- S-142 Silicate, sulfate and phosphate in a clay extract
- S-143 Glycerophosphates in aminoacids
- S-144 Heat stable salts in a scrubber solution
- S-145 Chloride and sulfate in hypophosphoric acid
- S-146 Chloride and sulfate in succinic acid
- S-147 Ten anions in an extract of explosives
- S-148 Anions in tetrasodium pyrophosphate
- S-149 Anions in Tripolyphosphate
- S-150 Orthophosphate, pyrophosphate and trimetaphosphate in sodium tripolyphosphate (isocratic)
- S-151 Anions in a cleaning solution
- S-152 2-Fluorobenzoate in water deposits
- S-153 Chloride in 65% nitric acid using column switching
- S-154 Eleven anions with high pressure gradient elution
- S-155 Sulfite, oxalate and thiosulfate besides standard anions in process water of paper industry
- S-156 Chloride, nitrite, nitrate and sulfate in cooling lubricants (conductivity and UV detection)
- S-157 Trace anions in boiler feed water containing 10 mg/L ammonia
- S-158 Five anions besides 2 g/L nitrate in an ion exchanger eluate
- S-159 Arsenic and selenium speciation using «High-Low Detection
- S-160 Hexafluorophosphate in ionic liquid
- S-161 Detection limits of bromate in drinking water
- S-162 Iodide in milk powder
- S-163 Acetate, chloride and sulfate in mayonnaise
- S-164 Five anions in orange juice
- S-165 Hypophosphite, phosphite, tartrate, tungstate, phosphate, citrate and pyrophosphate in an electroplating bath
- S-166 Hypophosphite, phosphite, tartrate, tungstate, phosphate, citrate, pyrophosphate besides the standard anions
- S-167 Arsenite, cyanide and sulfide besides standard anions or «High-Low Detection» in Ion Chromatography - simultaneous determination of anions of strong and weak acids
- S-168 Bromate in mineral water
- S-169 Bromate determination using post column reaction (o-dianisidine method)

- S-170 Oxohalides in drinking water
- S-171 Citrate and polyphosphates in a food additive
- S-172 Phosphite in a potato extract
- S-173 Nitrite and nitrate in a plant extract
- S-174 Iodide in table salt
- S-175 Chromate in waste water using conductivity and subsequent UV/Vis detection after post column reaction (diphenylcarbazide method)
- S-176 Four anions in betain
- S-177 Five anions in inositol
- S-178 Five anions in lignin
- S-179 Six anions in a peptide sample
- S-180 Sulfate, citrate and phosphates in washing powder
- S-181 Trace determination of chloride in quaternary ammonium hydroxide using inline cation exchange
- S-182 Bromide and sulfur oxoanions in photographic developer solutions
- S-183 Advanced inline dialysis setup for Ion Chromatography
- S-184 Fluoride, chloride and sulfate in absorption solutions containing H<sub>2</sub>O<sub>2</sub>
- S-185 Phosphoric acid in soft drinks using 761 SD Compact IC
- S-186 Anions in waste water containing N-methylpyrrolidone using inline matrix elimination
- S-187 Iodide besides standard anions in mineral water
- S-188 Chloride in children's sweat
- S-189 Citrate and isocitrate in fruit juice
- S-190 Five anions in a strongly alkaline solution containing 70 g/L vanadate
- S-191 Chloride, nitrite and sulfate in a used zinc bath containing cooling lubricants
- S-192 Online determination of acids in an etching bath with inline dilution
- S-193 Four anions in beer wort
- S-194 Iodide in human urine
- S-195 Anions and organic acids with high pressure gradient
- S-196 Anions in water from agricultural ditches
- S-197 Fluoride, acetate, formate and chloride in gasoline
- S-198 Fluoride, acetate, formate and chloride in brake fluids
- S-199 Selenite and selenate besides standard anions
- S-200 Sulfate, molybdate and chromate in galvanic baths
- S-201 Eight anions separated on Metrosep A Supp 1 column
- S-202 Chloride and bromide in an absorption solution after Wickbold digestion
- S-203 Chloride in bethanechol tablets
- S-204 Nitrate and sulfate in fertilizer after acid digestion
- S-205 Traces of perchlorate in samples with a high ionic background applying heart-cut technique
- S-206 Online monitoring of trace of anions in boiler feed water
- S-207 Nitrate and phosphate in liquid fertilizers
- S-208 Bromide and nitrate in 1% sodium chloride
- S-209 Fluoride, methyldisulfonic, ethyldisulfonic and methylsulfonic acid in chromium plating baths
- S-210 Oxalate and citrate in human urine
- S-211 Sulfate in ethanol used as gasoline additive
- S-212 Fluorophosphate in effervescent tablets

- S-213 Nitrate in nickel plating bath
- S-214 Trace level fluoride and sulfate in 35% hydrochloric acid after inline neutralization
- S-215 Qualitative determination of anions in urine to verify adulteration
- S-216 Phosphite and phosphate in pamidronic acid by suppressed ion chromatography
- S-217 Ultratrace-level perchlorate in reagent water, ground water, surface water and water containing 3000ppm of total dissolved solids (USEPA method 314.0)
- S-218 Common anions in closed cooling water system
- S-219 Anions and organic acids in engine coolant
- S-220 Sodium thiooctanoate in waste water
- S-221 Sulfate, phosphate and pyrophosphate in human and mice urine
- S-222 Anions in borate effluent
- S-223 Chlorate and sulfate in brine
- S-224 Sulfate in gentamicin sulfate
- S-225 Sulfite besides standard anions in beer on the Metrosep A Supp 10 - 100
- S-226 Sulfite, sulfate and thiosulfate in metam potassium
- S-227 Anions in dimethylacetamide
- S-228 Anions in perfluorocarbon
- S-229 Oxalate, thiosulfate and thiocyanate in amines
- S-230 Phosphate and sulfate in polymer samples after inline dilution plus inline dialysis
- S-231 Nitrite, nitrate and phosphate in sea water from a shrimp farm
- S-232 Chloride and sulfate in electrolytes used in sensors for transcutaneous CO<sub>2</sub> measurement
- S-233 Acetate and MSA in olsalazine with inline dialysis
- S-234 Oxohalides and monovalent organic acids beside standard anions
- S-235 Determination of Anions and Oxyhalides by US EPA method 300.1 A and B in a single analysis (Standard solution)
- S-236 Determination of Anions and Oxyhalides by US EPA method 300.1 A and B in a single analysis (Sample)
- S-237 Phosphor species in process water
- S-238 Sulfur species with «High–Low Detection»
- S-239 Oxyhalides and standard anions according to EPA 300.1 applying the A Supp 5 - 250
- S-240 Chromate in cement
- S-241 Chloride and sulfate in ethanol used as bio-fuel (ASTM D 7319-07)
- S-242 Trace analysis of anions in the primary cycle of a nuclear power plant (PWR) applying Metrohm Inline Sample Preparation
- S-243 Chloride, chlorate and sulfate in caustic soda (50% sodium hydroxide) applying Metrohm Inline Sample Neutralization
- S-244 Anions in a gasoline/bioethanol mixture using Inline Matrix Elimination
- S-245 Fluoride in green tea
- S-246 Sulfate in methanedisulfonic acid
- S-247 Hypophosphite, phosphite and phosphate in a nickel bath
- S-248 Sulfur species in process water of paper industry by simultaneous conductivity and UV detection
- S-249 14 anions in an industrial process water
- S-250 Trace anions in tetramethylammonium hydroxide (TMAOH)
- S-251 Trace anions in concentrated phosphoric acid applying two-dimensional ion chromatography
- S-252 Standard anions and organic acids in Bayer Liquor applying Inline Matrix Neutralization
- S-253 Molybdate in 2.5% NaCl applying Inline Matrix Elimination by sample re-injection
- S-254 MISP – Metrohm Inline Ultrafiltration – Cross Contamination < 0.1%

# IC Application Notes: Title Index

## Application Notes using Ion Chromatography with UV/VIS Detection

No.	Title
U-1	Nickel, zinc, cobalt, iron(II) and manganese in lithium bromide using post-column reaction
U-2	Bromide and nitrate in 1% sodium chloride
U-3	Glycolic and lactic acid besides N-methyl pyrrolidone
U-4	Nitrate in nickel plating bath (non-suppressed)
U-5	Nitrate in nickel plating bath (suppressed)
U-6	Fe <sup>2+</sup> and Fe <sup>3+</sup> by ion chromatography applying post column reaction (PCR) and UV/VIS detection
U-7	Tetrakis(hydroxymethyl)phosphonium sulfate (THPS) by ion chromatography applying post column reaction (PCR) and UV/VIS detection
U-8	Trace anions in magnesium chloride (MgCl <sub>2</sub> ) applying anion chromatography with conductivity detection after chemical suppression and subsequent UV/VIS detection
U-9	Iodate, chlorite, bromate and nitrite by suppressed ion chromatography applying post column reaction (PCR) and UV/VIS detection
U-10	Nitrite, nitrate and phosphate in sea water from a shrimp farm
U-11	N-acetylcysteine in medication against sinusitis according to USP
U-12	Trace iodide in bottled water applying anion chromatography with UV/VIS detection
U-13	HEDPA, PBTC and NTP
U-14	Bromide in calcium chloride using UV detection
U-15	Chromium(VI) in a leather extract
U-16	Caffeine in cola soft drinks
U-17	Chromate in waste water using conductivity and subsequent UV/VIS detection after post column reaction (diphenylcarbazide method)
U-18	Bromate determination using post column reaction (o-dianisidine method)
U-19	Chloride, nitrite, nitrate and sulfate in cooling lubricants (conductivity and UV detection)
U-20	Citrate, pyrophosphate, maltol, IMP and GMP in a mixture of sodium and potassium chloride with conductivity and UV detection
U-21	Traces of nitrate in concentrated phosphoric acid with UV detection
U-22	Traces of nitrite in mineral water with UV detection
U-23	Nitrite, bromide, nitrate and iodide in 10 g/L sodium chloride with UV detection
U-24	Vanadium speciation applying Ion Chromatography with UV/VIS detection
U-25	Saccharin and its degradation products (benzamide, o-toluenesulfonamide) in a nickel electroplating bath
U-26	Phenylalanine, aspartame, caffeine and benzoate in Soft Drinks
U-27	System suitability test for Cefazolin according to USP
U-28	Salicylic acid impurity in aspirin tablets according to the USP method
U-29	Assay of Cloxacillin sodium according to USP
U-30	System suitability test for Amoxicillin according to USP
U-31	Sulfur species in process water of paper industry by simultaneous conductivity and UV detection
U-32	Sulfide in a sodium vanadate raw solution by UV detection
U-33	Assay of theophylline tablets according to the USP method
U-34	Chromatographic purity determination of Ibuprofen according to USP
U-35	Chromatographic purity determination of Thiamine Hydrochloride according to USP
U-36	Assay determination of Ranitidine HCl according to USP





Version from 11.06.2007

Copyright by Metrohm Ltd., Switzerland, 2006

[www.metrohm.com](http://www.metrohm.com)

[info@metrohm.com](mailto:info@metrohm.com)