


OMNIS Main Module S – WSM

2.1010.0120

Main module for setting up an OMNIS Sample Robot WSM in size S. This module is equipped with the module and rack plate for up to 2 racks and an OMNIS Workstation Module. It is already equipped with the main lift and a gripper. It must be equipped with sample racks, gripper fingers, and an OMNIS Workstation Module for sample processing in order to use it to set up a functioning Sample Robot. The selection of these components proceeds in accordance with the application.

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery 2.1010.0120

Order Number	Description	Quantity
1.1010.0120 	**OMNIS Main Module S – WSM** Main module for setting up an OMNIS Sample Robot WSM in size S. This module is equipped with the module and rack plate for up to 2 racks and 1 OMNIS Workstation Module. It is already equipped with the main lift and a gripper. It must be equipped with sample racks, gripper fingers, and an OMNIS Workstation Module for sample processing in order to use it to set up a functioning Sample Robot. The selection of these components proceeds in accordance with the application.	1 PCS
6.01803.000 	**Silicone tubing 8/12 2.5 m** Silicone tubing for connecting to the drainage of the Pick&Place module or pump module in order to channel any solution overflows that may occur safely into the waste canister.	1 PCS
6.01808.020 	**L tubing connector, PP, 2 x 7-8 mm** Connector for drain tubing.	1 PCS

6.1602.115



Bottle attachment / S 40 / green 1 PCS

For direct dosing from reagent bottles with S 40 thread (Merck...).

6.1624.000



Adapter SGJ 14 for 6.1619.XXX Adsorber tube 1 PCS

Adapter SGJ 14. Part of 6.1619.010 for Dilution Sample Processor.

6.2023.020



Clip for SGJ 14/15 1 PCS

Clip for SGJ 14/16

Optional accessories

6.02601.010
Gripper fingers 43 - 65 mm

Gripper fingers for OMNIS Sample Robot Pick&Place for gripping sample beakers with an outer diameter of 43 to 65 mm.



6.02601.020
Gripper fingers 50 - 72 mm

Gripper fingers for OMNIS Sample Robot Pick&Place for gripping sample beakers with an outer diameter of 50 to 72 mm.



6.02601.030
Gripper fingers 48-64 mm

Gripper fingers for OMNIS Pick&Place Sample Robot for gripping sample beakers with an outer diameter of 48 - 64 mm.



6.02601.040
Gripper fingers 28-48 mm

Gripper fingers for OMNIS Sample Robot Pick&Place for gripping sample beakers with an outer diameter of 28 - 48 mm.



2.1042.0020
Dosino Module (cable 2 m)

The Dosino Module is a high-precision drive for the space-saving extension of an OMNIS titration system to include an additional intelligent buret for titrations, dosings, and other liquid handling tasks. With permanently attached cable (length 2 m).



2.1003.0010
OMNIS Dosing Module without stirrer

Dosing module for connection to an OMNIS Titrator for extending the system to include an additional buret for titration/dosing. Can be supplemented with one magnetic stirrer or rod stirrer for use as separate titration stand. Freely selectable cylinder unit with 5, 10, 20 or 50 mL.



2.1024.0010
OMNIS Workstation Module (1T/0P)

Module for installation in the OMNIS Sample Robot WSM. This module contains a workstation for the automatic processing of sample vessels without pumps. The workstation takes up the sample beaker for the analysis. Used sensors can be cleaned or parked in the storage beaker of the workstation between analyses. If stirring is required during the analysis, then a separate rod stirrer or a magnetic stirrer can be attached for this workstation.



2.1024.0020
OMNIS Workstation Module (1T/2P)




Module for installation in the OMNIS Sample Robot WSM. This module contains a workstation for the automatic processing of sample vessels and two pumps for the automatic cleaning (rinsing and extraction) of sample vessels and sensors. The workstation takes up the sample beaker for the analysis. Used sensors can be cleaned or parked in the storage beaker of the workstation between analyses. If stirring is required during the analysis, then a separate rod stirrer or a magnetic stirrer can be installed for this workstation.

2.1024.0030
OMNIS Workstation Module (2T/4P)




Module for installation in the OMNIS Sample Robot WSM. This module contains 2 workstations for the automatic processing of sample vessels and 4 pumps for the automatic cleaning of sample vessels and sensors (rinsing and extraction) at both workstations. The workstations take up the sample beaker for the analysis. Used sensors can be cleaned or parked in the storage beakers of the workstations between analyses. If stirring is required during the analysis, then a separate rod stirrer or a magnetic stirrer can be installed for each workstation.

6.02041.010
OMNIS sample rack, 9 x 250 mL, (PP)




OMNIS sample rack for OMNIS Sample Robot Pick&Place, suitable for 9 sample beakers. The following sample beakers can be used: 6.01400.000, 6.01400.003, 6.01400.100.
Plastic: Polypropylene (PP)

6.02041.030
OMNIS sample rack, 16 x 120 mL, (PP)




OMNIS sample rack for OMNIS Sample Robot Pick&Place, suitable for 16 sample beakers. The following sample beakers can be used: 6.01400.200, 6.01400.300, 6.01400.303.
Plastic: Polypropylene (PP)

6.02041.020
OMNIS sample rack, 9 x 200 mL, (PP)



OMNIS sample rack for OMNIS Sample Robot Pick&Place, suitable for 9 sample beakers. The following sample beakers can be used: 6.1459.310.
Plastic: Polypropylene (PP)

6.02041.040
OMNIS sample rack, 25 x 75 mL, (PP)



OMNIS sample rack for OMNIS Sample Robot Pick&Place, suitable for 25 sample beakers. The following sample beakers can be used: 6.01402.000, 6.01402.003, 6.1459.400.

Plastic: Polypropylene (PP)

6.02041.050
OMNIS sample rack, 9 x 150 mL, (PP)



OMNIS sample rack for OMNIS Sample Robot Pick&Place, suitable for 9 sample beakers. The following sample beakers can be used: 150 mL beaker (tall shape and without spout).

Plastic: Polypropylene (PP)

6.05800.540
Upgrade Pick&Place module WSM



This set contains all of the components required to extend an OMNIS Workstation Module (1T/0P) or (1T/2P) to include a second workstation. Sample throughput can be doubled as a result of the extension.

6.05800.560
Upgrade stirrer WSM



This set contains all of the components required to equip a workstation of an OMNIS Workstation Module with a magnetic stirrer.

6.05800.570

Upgrade peristaltic pump module WSM



This set contains all of the components that are required for the upgrade of an OMNIS Workstation Module involving the addition of 2 pumps. This set can be used not only to extend the number of pumps from 0 to 2, but also from 2 to 4, and enables the effective cleaning of sensors and sample vessels. In addition to the pumps required, all of the necessary tubing and canisters are included for equipping 1 rinsing pump and 1 aspiration pump each.

6.05800.600

Upgrade OMNIS Sample Robot S-M WSM



This set contains all of the components required for upgrading an already existing OMNIS Sample Robot WSM from size S to size M. In addition to the required rack and module bases, all of the required cables, screws, and arm extensions are included, as is the function license. As before, the set also contains a drain channel for the OMNIS Sample Robot M/L

6.05800.610

Upgrade OMNIS Sample Robot S-L WSM



This set contains all of the components required for upgrading an already existing OMNIS Sample Robot WSM from size S to size L. In addition to the required rack and module bases, all of the required cables, screws, and arm extensions are included, as is the function license. As before, the set also contains a drain channel for the OMNIS Sample Robot M/L.

6.05700.000
Consumable Kit OMNIS Gripper

Four slide sleeves and rubber gripper fingers each for replacement on the gripper finger of the OMNIS Sample Robot.



6.05700.250
Consumable Kit OMNIS Gripper for 6.02601.030

Four rubber gripper fingers for replacement on the gripper finger of the OMNIS Sample Robot.



6.02064.020
Retainer for 200 mL sample beaker

Retainer for fixing the 200 mL sample beaker in place in the gripper fingers of the OMNIS Sample Robot Pick&Place.



6.05001.210
WSM accessory kit (2T/4P)




This accessory kit contains all of the components required for the tubing setup for 2 rinsing and 2 aspiration pumps on the pump module of the OMNIS Workstation Module (2T/4P). In addition to preassembled tubing with Luer connectors, each of these also includes 4 press clamps and pump tubing. A tool for simplifying attachment of the Luer connectors is also included in the set.

6.05001.110
WSM accessory kit (1T/2P)



This accessory kit contains all of the components required for the tubing setup for 1 rinsing pump and 1 aspiration pump on the pump module of the OMNIS Workstation Module (1T/2P). In addition to preassembled tubing with Luer connectors, each of these also includes 2 press clamps and pump tubing. A tool for simplifying attachment of the Luer connectors is also included in the set.

6.2841.020
Rinse station for OMNIS Sample Robot



This set contains a rinse station for the automatic cleaning of the pipetting equipment of the OMNIS Sample Robot.
The rinse station can be mounted upstream of the pump tower of the OMNIS Workstation Module.
In order to function, the rinse station must be supplied with two pumps for the aspiration and extraction of solutions.
