



OMNIS IC equip.: Two tower setup

6.05332.120

Accessory set for an OMNIS IC without OMNIS IC AS or ASCOOL: If the OMNIS IC system is to be set up in 2 stacks (two-tower setup), the OMNIS IC must be equipped with a base plate, and the AS/ASCOOL with a reagent organizer.

Prerequisites:

OMNIS IC S/M/L

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery 6.05332.120

Order Number	Description	Quantity
6.02107.000	Network cable, 1 m Network cable (1 m) for connecting one OMNIS instrument to an Ethernet Router, Ethernet Switch or local network	1 PCS
		
6.01816.010	Silicone tubing, 8/12 mm, 2 m Drainage tubing	2 PCS
		
6.02601.060	Fixation bar, Extension Fixation bar for OMNIS IC Extension Module.	1 PCS
		

6.01808.010

Y tubing connector, PP, 3 x 7-8 mm

2 PCS

Connector for drain tubing.



6.01816.000

Drain tube, 7/9 mm, 1 m

1 PCS

Silicone drain tube



6.02061.000

Reagent Organizer

1 PCS

Organizer for reagent and eluent bottles for OMNIS IC instruments.



6.02061.100

Base plate

1 PCS

Base plate for OMNIS IC modules and preconfigured instruments (OMNIS IC S, M, L).



6.02061.200

End plate, Extension/AS

1 PCS

Endplate between Extension or Autosampler and Reagent Organizer or Reagent Organiser Liquid Control.



6.02122.130

Power cord, C13/14, 1 m

1 PCS

Power cord (1 m) for connecting OMNIS Extension Modules

