



Sample beaker, clear glass, 75 mL, 1 piece

6.1432.210

Sample beaker, clear glass, 75 mL, suitable for sample racks: 6.2041.340, 6.2041.350, 6.2041.800 and 6.2041.900, 1 piece

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Optional accessories

6.1458.070

Titration head / 2 x SGJ 14



Titration head for 75 mL beakers. With 2 openings SGJ 14, 2 openings 6.4 mm, and 3 pre-mounted dosing tips. Suitable for rinsing and aspiration equipment.

6.2041.340

**Sample rack, 24 x 75 mL,
(PVC)**



Sample rack for 810 Sample Processor, 814 USB Sample Processor, 855 Robotic Titrosampler "Light", suitable for 24 sample beakers. The following sample beakers can be used: 6.1432.210, 6.1459.400.

Plastic: Polyvinyl chloride (PVC)

6.2041.350

Sample rack, 48 x 75 mL (PVC)



Sample rack for 815 Robotic USB Sample Processor XL, 855 Robotic Titrosampler "Basic", suitable for 48 sample beakers. The following sample beakers can be used: 6.1432.210, 6.1459.400.

Plastic: Polyvinyl chloride (PVC)

6.2041.800

**Sample rack, 100 x 75 mL,
(PVC)**



Sample rack for 815 Robotic USB Sample Processor XL, 855 Robotic Titrosampler "Basic" suitable for 100 sample beakers. The following sample beakers can be used: 6.1432.210, 6.1459.400.
Plastic: Polyvinyl chloride (PVC)

6.2041.900

**Sample rack insert, 54 x 75
mL, for water bath, (Al)**



Sample rack insert for 815 Robotic USB Sample Processor XL, 855 Robotic Titrosampler "Basic", suitable for 54 sample beakers. The following sample beakers can be used: 6.1432.210, 6.1459.400.
Material: Aluminum (Al)

6.2037.040


Foil holder



Foil holder for 75 mL sample beaker for Karl Fischer for KF Sample Changer

6.2820.000

Al foil



1,000 rondels with a diameter of 80 mm. Foil thickness: 0.010 mm. Together with 6.2037.040 foil holder for 6.1432.210 sample beaker and 6.2037.080 foil holder for 6.1459.300 sample beaker.

6.1909.030

Stirring propeller / 95 mm



Propeller stirrer with PP shaft, PVDF tip. Length from the SGJ: 104 mm. For KF applications with 722, 802 Rod Stirrer

6.1458.030

KF titration head / 4 x M10 connectors



With 4 M10 screw nipples, including stoppers.

6.1458.020

Titration head / 4 x M10 connectors



With 4 M10 screw nipples, including stoppers.