



## Accessory kit: Vario/Flex Basic

6.5000.000

Basic set of accessories for a Professional IC Vario or Compact IC Flex.

Below, the accessories are grouped into Scope of delivery and Optional accessories.

Please keep this printout at hand for ordering replacement material.

These lists may be subject to change.

### Scope of delivery 6.5000.000

Qt.	Order no.	Description
1 PCS	6.01816.010	Silicone tubing, 8/12 mm, 2 m
		Drainage tubing



1 PCS

6.1602.210

Attachment 5 x UNF 10/32 for «Waste Collector»

Attachment for holding up to 5 waste capillaries.



1 PCS

6.1807.010

Y-connector for tubing 6-9 mm i.d.

Connector for waste tubing



1 PCS

6.1815.010

Spiral band 0.5 m

For holding together different cables or tubing.



2 PCS

6.1816.020

Silicone tubing 6 mm i.d., 1 m

For waste tubing.



1 PCS

6.2057.220

Holder to Waste Collector

Holder for fastening the Waste Collector to the IC instrument.



1 PCS

6.2151.020

Cable USB A - USB B 1.8 m

USB connecting cable



1 PCS

6.2251.000

Colored sleeves for capillaries

Colored pieces of heat shrink tubing for capillary coding. Three pieces each of five different colors.



1 PCS

6.2617.010

Tool for piston seal

For removing and assembling the piston seal for all standard pump heads



2 PCS                    6.2621.000            Adjustable wrench  
Max. opening: 20 mm. For IC instruments



---

1 PCS                    6.2621.030            Hexagon key 4 mm



---

1 PCS                    6.2621.050            1/4 in. wrench  
For 1/4 in. screws. For IC instruments



---

1 PCS                    6.2621.080            Capillary cutter  
  
Cutting tool for simple cutting of plastic capillaries, 1/16" and 1/8", including 5 replacement blades.



1 PCS

6.2621.100

3 mm hex key for IC Sample Processors



---

2 PCS

6.2739.000

Wrench

For tightening connectors



---

1 PCS

6.2743.080

Stopper for overflow (ProfIC), 5 pieces

For Professional IC instruments



---

1 PCS

6.2765.000

Container with GL 45 drainage to the "Waste Collector"

Container with drainage to the "Waste Collector".

