



LL ISE reference electrode

6.0750.100

Silver / silver chloride reference electrode with double junction system.

This reference electrode is well suited for:

- automated applications
- ion measurements
- surfactant titrations

The ground-joint diaphragm, which is insensitive to contamination, offers a constant and reproducible electrolyte outflow. Additionally, the reference electrolyte is gelified for even better signal stability. The sensor is delivered with $c(\text{KCl}) = 3 \text{ mol/L}$ as bridge electrolyte, which can be freely selected and exchanged as needed.

Phạm vi giao hàng 6.0750.100

Order Number	Description	Quantity
6.1236.050	Sleeve with SGJ 14/12 mm	1 Stk



Sleeve with SGJ 14/12 mm, polyethylene.

6.2008.040

Storage vessel

1 Stk



Together with 6.2008.050 storage vessel holder. it provides a support for the electrode on 807 Dosing Units.

Phụ kiện tùy chọn

6.2106.020

Strand / 1 m / 2 x B

Electrode cable with 2 x plug B (4 mm) for connecting electrodes with plug-in head B



6.2103.140

**Adapter black 2 mm plug / B
socket 4 mm**

For connecting plug B (4 mm) to 2 mm socket.



6.2308.020

**Electrolyte 3 mol/L KCl (250
mL)**

Electrolyte solution $c(\text{KCl}) = 3 \text{ mol/L}$, (for Ag/AgCl reference systems)



6.2310.010

Electrolyte KNO₃-1 mol/L 250 mL

Electrolyte solution KNO₃ 1 M (reference electrolyte for combined silver electrodes)



6.2320.000

TEABr 0.4 mol/L in ethylene glycol (250 mL)

Electrolyte solution TEABr (tetraethylammonium bromide in ethylene glycol), c(TEABr) = 0.4 mol/L



6.2106.060

Strand / 2 m / 2 x B

Electrode cable with 2 x plug B (4 mm) for connecting electrodes with plug-in head B

