





## Accessories for 2.797.3010

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

### Scope of delivery 2.797.3010

Qty.	Order no.	Description	
1 pcs	1.797.0010	<b>797 VA Computrace for trace analysis</b>	
		<p>The 797 VA Computrace is a modern voltammetric measuring stand that is connected to a PC via a USB port. The computer software provided controls the measurement, records the measured data and evaluates it. Operation is most straightforward due to the well-laid-out structure of the program. The integrated potentiostat with galvanostat guarantees the highest sensitivity with reduced noise.</p> <p>Voltammetry system for trace analysis and education. Complete accessories with VA Computrace software and all electrodes for a complete measurement system: Multi-Mode Electrode pro (MME pro), Ag/AgCl reference electrode and Pt auxiliary electrode.</p>	
1 pcs	6.0228.010	<b>Primatrode with NTC (fixed cable 1.2 m)</b>	
		<p>Combined pH electrode with integrated temperature sensor (NTC) and fixed cable (1.2 m). This electrode is suitable for an introduction to GLP-compliant pH measurements in solutions that do not contain precipitates, proteins, or sulfides. This electrode is mechanically resistant thanks to the robust/unbreakable plastic shaft made of polypropylene and impact protection for the glass membrane.</p> <p>Reference electrolyte: c(KCl) = 3 mol/L, storage in storage solution.</p>	
1 pcs	6.0343.000	<b>Separate Pt Rod Electrode</b>	
		Platinum auxiliary electrode for voltammetry and CVS.	
1 pcs	6.0728.020	<b>Ag/AgCl reference electrode</b>	
		Inner reference system with electrolyte c(KCl) = 3 mol/L. For use with electrolyte vessel made of plastic 6.1245.010.	

---

**1 pcs**     **6.1204.200**     **Stirrer for VA Stand**  
Stirrer for VA Stand, complete, metal-free



---

**1 pcs**     **6.1226.030**     **Mercury drop capillary (non-silanized) for MME**

Non-silanized mercury drop capillary (10 pieces)



---


**1 pcs**     **6.1226.050**     **Mercury drop capillary (silanized) for MME**

Silanized mercury drop capillary (10 pieces)



---

**1 pcs**     **6.1244.020**     **Driving belt**  
For Rotating Disk Electrodes and stirrer in VA Stands (3 pieces).



---

**1 pcs**     **6.1245.010**     **Electrolyte vessel made of plastic**  
Electrolyte vessel made of plastic with ceramic diaphragm for double junction reference electrode.



---

**1 pcs**     **6.1246.120**     **Multi-Mode Electrode pro**  
Mercury electrode for voltammetry. Can be operated as DME, SMDE or HMDE.



---

**1 pcs**     **6.1247.020**     **Needles for MME**  
Needles for Multi Mode Electrode (3 pieces).



---

**1 pcs**     **6.1415.210**     **Titration vessel / 10-90 mL**



---

**7 pcs**     **6.1446.040**     **Threaded stopper / M6**



---

**2 pcs**     **6.1546.030**     **Extractor rod**  
For PTFE piston of dosing unit



---

**1 pcs**     **6.1608.050**     **Drying bottle / 100 mL / GL 45**



---

**1 pcs**    **6.1608.090**    **Bottle / 250 mL / GL 45**



---

**2 pcs**    **6.1618.060**    **Thread adapter GL 45 to GL 45**  
Thread adapter GL45 to GL45; e.g. for reagent bottles with extended flange



---

**1 pcs**    **6.1801.080**    **Tubing for nitrogen connection**  
For supplying gas to voltammetry instruments



---

**1 pcs**    **6.1805.020**    **FEP tubing / M6 / 52 cm**  
With light and kink protection



<b>1 pcs</b>	<b>6.1805.120</b>	<b>FEP tubing / M6 / 100 cm</b> With light and kink protection	
<b>4 pcs</b>	<b>6.1808.000</b>	<b>Connection bushing M6</b>	
<b>1 pcs</b>	<b>6.1819.010</b>	<b>PTFE tube</b> As gas inlet in washing bottle of VA Stand	
<b>1 pcs</b>	<b>6.1824.000</b>	<b>Four-way micro dosing tip</b>  With 4 x M6 thread. For VA measuring stands.	
<b>1 pcs</b>	<b>6.2013.010</b>	<b>Clamping ring</b>  For support rods with a diameter of 10 mm.	

<b>1 pcs</b>	<b>6.2016.050</b>	<b>Support rod / 300 mm</b>	
<b>1 pcs</b>	<b>6.2021.020</b>	<b>Electrode holder</b> Electrode holder for 4 electrodes and 2 buret tips	
<b>1 pcs</b>	<b>6.2055.100</b>	<b>Bottle holder, double</b> Bottle holder for 2 x 1 L bottles. For 6.5617.000 aspiration equipment	
<b>1 pcs</b>	<b>6.2151.020</b>	<b>Cable USB A - USB B 1.8 m</b> USB connecting cable	
<b>1 pcs</b>	<b>6.2161.010</b>	<b>Plug-in power supply unit EU 230V /6V DC</b> Power supply for 827 pH lab	
<b>1 pcs</b>	<b>6.2301.100</b>	<b>Pb Ion standard 1 g/L 50 mL</b> Pb ion standard, $c(\text{Pb}^{2+}) = 1.000 \text{ g/L}$	

---

**1 pcs**     **6.2308.020**     **Electrolyte 3 mol/L KCl (250 mL)**  
Electrolyte solution  $c(\text{KCl}) = 3 \text{ mol/L}$ , (for Ag/AgCl reference systems)



---

**1 pcs**     **6.2406.000**     **Mercury drop catcher**  
Silver wire (to capture mercury drops by amalgamation)



---

**1 pcs**     **6.2621.070**     **5 mm hex key for IC Sample Processors**



---







**1 pcs**     **6.2703.000**     **Stand ring for titration vessels**



---

**1 pcs**     **6.2709.080**     **Stopper for pipetting opening**  
For 694, 747 VA Stands and VA Computrace



1 pcs	6.2711.030	<b>Tray for filling the MME</b>	For 884 Professional VA, 797 VA Computrace, 757 VA Computrace and 647, 663, 694, 747 VA Stands	
1 pcs	6.2711.040	<b>Drip pan for VA Computrace</b>		
1 pcs	6.2739.000	<b>Wrench</b>	For tightening connectors	
1 pcs	6.2816.020	<b>Syringe 10 mL with Luer connection</b>	For various applications in IC and VA	
1 pcs	6.2816.030	<b>Needle with Luer connector</b>	Needle for filling in mercury into the Multi-Mode Electrode and for sample addition in Karl Fischer titration.	
1 pcs	6.3032.120	<b>Dosing Unit 2 mL</b>	Dosing unit with integrated data chip with 2 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 glass thread. FEP tubing connection, anti-diffusion buret tip.	



---

**1 pcs    6.3032.150    Dosing Unit 5 mL**

Dosing unit with integrated data chip with 5 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 thread. FEP tubing connection, anti-diffusion buret tip.



---

**1 pcs    6.6053.030    797 VA Computrace Software CD 1.3**

Control and evaluation software for 797 VA Computrace. For the following operating systems:

Windows

® 2000, Windows

® XP Professional, Windows

® Vista (32-bit) and Windows

® 7 (32-bit).

