





## Accessories for 2.899.1010

Below, the accessories are grouped into Scope of delivery and Optional accessories.  
Please keep this printout at hand for ordering replacement material.  
These lists may be subject to change.

### Scope of delivery 2.899.1010

| Qty.  | Order no.  | Description   |
|-------|------------|---|
| 1 pcs | 1.142.0100 | <b>Custom Q3X thermal printer</b>   |
|       |            | Compact printer with USB interface for <ul style="list-style-type: none"> <li>• 900 Touch Control</li> <li>• 915 KF Ti-Touch</li> <li>• 916 Ti-Touch</li> <li>• 917 Coulometer</li> <li>• 877 / 848 Titrino plus</li> <li>• 865 / 876 Dosimat plus</li> <li>• 91X Meter</li> <li>• Eco Dosimat / Titrator</li> </ul> <p>Paper width 60 mm (40 characters). Including 6.2151.120 USB cable.</p>  |
|       |            |    |
| 1 pcs | 1.899.0010 | <b>899 Coulometer</b>   |
|       |            |    |
| 1 pcs | 6.0341.100 | <b>Double Pt-wire electrode for coulometry</b>  |
|       |            | Indicator electrode used for coulometric Karl Fischer titration.  |
|       |            |    |
| 1 pcs | 6.0344.100 | <b>Generator electrode with diaphragm</b>   |
|       |            | Generator electrode with diaphragm for coulometric Karl Fischer titrations, SGJ 29/22.<br>This generator electrode is well suited for: <ul style="list-style-type: none"> <li>• samples with very low absolute water contents &lt; 50 ppm</li> <li>• coulometric water content determination in oil samples</li> <li>• applications where ketone reagents are used</li> <li>• applications where low-conducting reagents are used (addition of chloroform, xylene &gt;10%)</li> </ul> |
|       |            |    |

---

**1 pcs**    **6.1403.030**    **KF adsorber tube for coulometer cell**

For KF coulometers.



---

**1 pcs**    **6.1437.000**    **SGJ stopper SGJ 14**



---

**2 pcs**    **6.1448.020**    **Septum 16 mm, 5 pieces**

Set of 5 pcs.



---

**1 pcs**    **6.1464.320**    **KF titration vessel / 80-250 mL / coulometric**



---

**1 pcs**    **6.1903.030**    **Stirring bar / 25 mm**

Stirring bar with magnetic core, PTFE covering, length 25 mm.



---

**1 pcs**     **6.2047.040**     **Titration vessel holder for 899/917**

Titration vessel holder for coulometric cells for 899 Coulometer and 917 Ti-Touch



---

**1 pcs**     **6.2103.130**     **Adapter red 2 mm plug / 4 mm socket**

For connecting plug B (4 mm) to 2 mm socket.



---

**1 pcs**     **6.2103.140**     **Adapter black 2 mm plug / B socket 4 mm**

For connecting plug B (4 mm) to 2 mm socket.



---

**1 pcs**     **6.2104.020**     **Electrode cable / 1 m / F**

For connecting electrodes with Metrohm plug-in head G to Metrohm instruments (socket F).



---

**1 pcs**     **6.2104.120**     **Electrode cable / 1 m / H**

With plug H. For connecting generator electrode - KF Coulometer.



---

**1 pcs    6.2147.000    Numerical USB keypad**

Numerical USB keypad for Titrino plus, Dosimat plus, 862 Compact Titrator, 869 Compact Sample Changer, 863 Compact Autosampler and 899 Coulometer. With two integrated USB connectors.




---

**1 pcs    6.2151.100    Adapter USB MINI (OTG) - USB A**

For connecting USB instruments.




---

**1 pcs    6.2151.120    Cable USB MINI (OTG) - USB B, 1.8 m**

For connecting USB instruments.




---

**1 pcs    6.2164.010    Power supply unit 100 - 240 V/24 V DC**

Power supply unit for 915 KF Ti-Touch and 916 Ti-Touch




---

**1 pcs    6.2701.040    GL 18 screw cap with hole**

Made of PBT. With a hole for the 6.1448.020 septum. For the 6.5405.000 cell without diaphragm and the 6.1464.32X and 6.1465.320 titration vessels.




---

**3 pcs    6.2713.000    Sleeve**

For the fat-free ground-joint connection with the standard ground-joint SGJ 14.



---

**1 pcs**    **6.2713.010**    **Sleeve**

Sleeve for the fat-free ground-joint connection with the standard ground-joint SGJ 29.



---

**1 pcs**    **6.2713.020**    **Sleeve**

For the fat-free ground-joint connection with the standard ground-joint SGJ 19.



---

**1 pcs**    **6.2723.310**    **Protective cover for Titrino plus**

Protective cover for display and keypad for all instruments of the Titrino plus family.



Suitable for: 848 Titrino plus, 862 Compact Titrosampler, 863 Compact Autosampler, 865 Dosimat plus, 869 Compact Sample Changer, 870 KF Titrino plus, 876 Dosimat plus, 877 Titrino plus, 899 Coulometer.

---

**1 pcs**    **6.2738.000**    **Funnel**

For the KF coulometer.



---

**1 pcs**    **6.2811.000**    **Molecular sieve**

Molecular sieve. Bottle containing 250 g. Pore size: 0.3 nm. Without moisture indicator. For Rancimats and Karl Fischer instruments.



---

**2 pcs    6.2816.030    Needle with Luer connector**

Needle for filling in mercury into the Multi-Mode Electrode and for sample addition in Karl Fischer titration.



---

**2 pcs    6.2816.090    Syringe 5 mL**

5 mL syringe made of PP, with Luer connector.



---

**4 pcs    6.9001.050    Thermal paper for Custom Neos-N / Q3X**

Thermal paper 60 mm / 25 m for Custom Neos-N / Q3X.  
New: 25-year legibility with correct storage.

1 roll



## Optional accessories

| Order no. | Description |
|-----------|-------------|
|-----------|-------------|

**2.801.0010**    **801 Stirrer**

Magnetic stirrer without stand for supplementing the Titrimo plus, Dosimat plus, Titrandos, Sample Processors, 805 Dosimats and 780/781 pH Meters. With permanently attached cable for MSB (Metrohm Serial Bus).



**2.803.0010**    **803 TI Stand with stirrer and pump**

Compact titration stand with magnetic stirrer and built-in pump for solvent addition and aspiration of the titration vessel contents. Suitable for Karl Fischer titrations with Titrandos. MSB connection. Including comprehensive accessories, solvent bottle and waste bottle.



**2.860.0010**    **860 KF Thermoprep**

The 860 KF Thermoprep is designed for thermal sample preparation in Karl Fischer titration.

Numerous substances cannot be analysed by direct Karl Fischer titration as they are not soluble, react with the Karl Fischer reagent or release their water only very slowly or not until heated to high temperatures. Using tightly sealed sample vials, the sample is inserted in the oven. The samples can be subsequently analysed by any volumetric or coulometric KF titrator.



**2.885.0010**    **885 Compact Oven Sample Changer**

The 885 Compact Oven Sample Changer is used for thermal sample preparation in Karl Fischer titration. In the oven the samples can be heated up to 250°C. The moisture contained in the sample evaporates and is transported by a dry carrier gas into the titration cell, where the analysis takes place.



**6.2141.390**    **Remote cable 885 - 899**

Remote cable for connecting an 885 Compact Oven Sample Changer to the 899 Coulometer.



---

**6.2148.030 RS-232/USB Box**

Extends the Titrino plus by two RS-232 interfaces, e.g., for the connection of balances, PC (titBase software), LIMS. Requires 6.2151.030 cable.



---

**6.2164.500 Power Box for 899**

The Power Box offers the option of operating the 899 Coulometer independently of the mains supply.



---

**6.5406.000 Coulometric KF equipment, including generator electrode with diaphragm**

Complete accessory set for KF coulometer.



---

**6.5406.010 Coulometric KF equipment, including generator electrode without diaphragm**

Complete accessory set for KF coulometer.

