

Accessories for 2.797.3010

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery 2.797.3010

Qty.	Order no.	Description
1 pcs	1.797.0010	797 VA Computrace for trace analysis
		<p>The 797 VA Computrace is a modern voltammetric measuring stand that is connected to a PC via a USB port. The computer software provided controls the measurement, records the measured data and evaluates it. Operation is most straightforward due to the well-laid-out structure of the program. The integrated potentiostat with galvanostat guarantees the highest sensitivity with reduced noise.</p> <p>Voltammetry system for trace analysis and education. Complete accessories with VA Computrace software and all electrodes for a complete measurement system: Multi-Mode Electrode pro (MME pro), Ag/AgCl reference electrode and Pt auxiliary electrode.</p>
1 pcs	6.0228.010	Primatrode with NTC (fixed cable 1.2 m)
		<p>Combined pH electrode with integrated temperature sensor (NTC) and fixed cable (1.2 m). This electrode is suitable for an introduction to GLP-compliant pH measurements in solutions that do not contain precipitates, proteins, or sulfides. This electrode is mechanically resistant thanks to the robust/unbreakable plastic shaft made of polypropylene and impact protection for the glass membrane. Reference electrolyte: c(KCl) = 3 mol/L, storage in storage solution.</p>
1 pcs	6.0343.000	Separate Pt Rod Electrode
		Platinum auxiliary electrode for voltammetry and CVS.
1 pcs	6.0728.020	Ag/AgCl reference electrode
		Inner reference system with electrolyte c(KCl) = 3 mol/L. For use with electrolyte vessel made of plastic 6.1245.010.
1 pcs	6.1204.200	Stirrer for VA Stand
		Stirrer for VA Stand, complete, metal-free
1 pcs	6.1226.030	Mercury drop capillary (non-silanized) for MME
		Non-silanized mercury drop capillary (10 pieces)
1 pcs	6.1226.050	Mercury drop capillary (silanized) for MME
		Silanized mercury drop capillary (10 pieces)

1 pcs	6.1244.020	Driving belt	□
		For Rotating Disk Electrodes and stirrer in VA Stands (3 pieces).	
1 pcs	6.1245.010	Electrolyte vessel made of plastic	□
		Electrolyte vessel made of plastic with ceramic diaphragm for double junction reference electrode.	
1 pcs	6.1246.120	Multi-Mode Electrode pro	□
		Mercury electrode for voltammetry. Can be operated as DME, SMDE or HMDE.	
1 pcs	6.1247.020	Needles for MME	□
		Needles for Multi Mode Electrode (3 pieces).	
1 pcs	6.1415.210	Titration vessel / 10-90 mL	□
7 pcs	6.1446.040	Threaded stopper / M6	□
2 pcs	6.1546.030	Extractor rod	□
		For PTFE piston of dosing unit	
1 pcs	6.1608.050	Drying bottle / 100 mL / GL 45	□
1 pcs	6.1608.090	Bottle / 250 mL / GL 45	□
2 pcs	6.1618.060	Thread adapter GL 45 to GL 45	□
		Thread adapter GL45 to GL45; e.g. for reagent bottles with extended flange	
1 pcs	6.1801.080	Tubing for nitrogen connection	□
		For supplying gas to voltammetry instruments	
1 pcs	6.1805.020	FEP tubing / M6 / 52 cm	□
		With light and kink protection	
1 pcs	6.1805.120	FEP tubing / M6 / 100 cm	□
		With light and kink protection	
4 pcs	6.1808.000	Connection bushing M6	□
1 pcs	6.1819.010	PTFE tube	□
		As gas inlet in washing bottle of VA Stand	
1 pcs	6.1824.000	Four-way micro dosing tip	□
		With 4 x M6 thread. For VA measuring stands.	

1 pcs	6.2013.010	Clamping ring	□
		For support rods with a diameter of 10 mm.	
1 pcs	6.2016.050	Support rod / 300 mm	□
1 pcs	6.2021.020	Electrode holder	□
		Electrode holder for 4 electrodes and 2 buret tips	
1 pcs	6.2055.100	Bottle holder, double	□
		Bottle holder for 2 x 1 L bottles. For 6.5617.000 aspiration equipment	
1 pcs	6.2151.020	Cable USB A - USB B 1.8 m	□
		USB connecting cable	
1 pcs	6.2161.010	Plug-in power supply unit EU 230V /6V DC	□
		Power supply for 827 pH lab	
1 pcs	6.2301.100	Pb ion standard 1 g/L 50 mL	□
		Pb ion standard, $c(\text{Pb}^{2+}) = 1.000 \text{ g/L}$	
1 pcs	6.2308.020	Electrolyte 3 mol/L KCl (250 mL)	□
		Electrolyte solution $c(\text{KCl}) = 3 \text{ mol/L}$, (for Ag/AgCl reference systems)	
1 pcs	6.2406.000	Mercury drop catcher	□
		Silver wire (to capture mercury drops by amalgamation)	
1 pcs	6.2621.070	5 mm hex key for IC Sample Processors	□
1 pcs	6.2703.000	Stand ring for titration vessels	□
1 pcs	6.2709.080	Stopper for pipetting opening	□
		For 694, 747 VA Stands and VA Computrace	
1 pcs	6.2711.030	Tray for filling the MME	□
		For 884 Professional VA, 797 VA Computrace, 757 VA Computrace and 647, 663, 694, 747 VA Stands	
1 pcs	6.2711.040	Drip pan for VA Computrace	□
1 pcs	6.2739.000	Wrench	□
		For tightening connectors	
1 pcs	6.2816.020	Syringe 10 mL with Luer connection	□
		For various applications in IC and VA	

1 pcs	6.2816.030	Needle with Luer connector	□
Needle for filling in mercury into the Multi-Mode Electrode and for sample addition in Karl Fischer titration.			

1 pcs	6.3032.120	Dosing Unit 2 mL	□
Dosing unit with integrated data chip with 2 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 glass thread. FEP tubing connection, anti-diffusion buret tip.			

1 pcs	6.3032.150	Dosing Unit 5 mL	□
Dosing unit with integrated data chip with 5 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 thread. FEP tubing connection, anti-diffusion buret tip.			

1 pcs	6.6053.030	797 VA Computrace Software CD 1.3	□
Control and evaluation software for 797 VA Computrace. For the following operating systems: Windows ® 2000, Windows ® XP Professional, Windows ® Vista (32-bit) and Windows ® 7 (32-bit).			
