

## Accessories for 2.809.2010

Below, the accessories are grouped into Scope of delivery and Optional accessories.  
Please keep this printout at hand for ordering replacement material.  
These lists may be subject to change.

### Scope of delivery 2.809.2010

Qty.	Order no.	Description
1 pcs	1.802.0010	<b>802 Rod Stirrer for 727 Ti Stand</b>

Rod stirrer with separate 6.2137.000 Speed controller and 6.1909.010 Propeller stirrer.



1 pcs	1.804.0010	<b>804 Ti Stand without stand rod</b>
-------	------------	---------------------------------------

Titration stand and controller for 802 Stirrer. The 804 Ti Stand together with the optional 802 Stirrer provides an alternative to the magnetic stirrer. Without stand.



1 pcs	1.809.0010	<b>809 Titrande</b>
-------	------------	---------------------

High-end titrator for up to four 800 Dosino dispensing systems. Dynamic (DET) and monotonic (MET) titration, endpoint titration (SET), measurements with ion-selective electrodes (MEAS CONC), dosing functions with monitoring (DOS), liquid handling. With four MSB connections, one galvanically separate measuring interface, USB connection.



---

**1 pcs    6.0507.010    NIO surfactant electrode**

This surfactant electrode has to be used in combination with a reference electrode and is suitable, e.g., for:

- titration of non-ionic surfactants in aqueous matrices
- titration of surfactants based on polyoxyethylene adducts
- titration of pharmaceutical ingredients using sodium tetraphenylborate



---

**1 pcs    6.0726.107    Ag/AgCl reference electrode with KCl (length 12.5 cm)**

Silver / silver chloride reference electrode with double junction system, installation length 10 cm. The SGJ 14/15 enables easy assembly and the flexible ground-joint diaphragm, which is insensitive to contamination, can be easily replaced. The reference and bridge electrolyte can be freely selected according to the application and are easy to exchange. This sensor is pre-filled with c(KCl) = 3 mol/L as reference and bridge electrolyte.



---

**1 pcs    6.1546.030    Extractor rod**

For PTFE piston of dosing unit



---

**2 pcs    6.1608.023    Amber glass bottle / 1000 mL / GL 45**

For Exchange Units. Bottle for auxiliary solutions.



---

**1 pcs    6.1909.010    Stirring propeller / 96 mm**

Propeller stirrer, length from lower edge of SGJ: 96 mm. For use with beakers with 722, 802 Rod Stirrer



---

**1 pcs**     **6.2001.060**     **Support stand without support rod**  
To attach an 801, 804, 803 Stirrer to a Titrande, Titrino plus, Dosimat plus or 856 and 867.



---

**1 pcs**     **6.2013.010**     **Clamping ring**  
For support rods with a diameter of 10 mm.



---

**1 pcs**     **6.2016.070**     **Support rod / 400 mm**



---

**1 pcs**     **6.2021.020**     **Electrode holder**  
Electrode holder for 4 electrodes and 2 buret tips



---

**2 pcs**     **6.2043.005**     **Holding clip for bottles**  
Holding spring for reagent bottles in exchange units.



---

**1 pcs**     **6.2103.130**     **Adapter red 2 mm plug / 4 mm socket**  
For connecting plug B (4 mm) to 2 mm socket.



---

**1 pcs**     **6.2103.140**     **Adapter black 2 mm plug / B socket 4 mm**  
For connecting plug B (4 mm) to 2 mm socket.



---

**1 pcs**     **6.2104.020**     **Electrode cable / 1 m / F**  
For connecting electrodes with Metrohm plug-in head G to Metrohm instruments (socket F).



---

**1 pcs**     **6.2106.020**     **Strand / 1 m / 2 x B**  
Electrode cable with 2 x plug B (4 mm) for connecting electrodes with plug-in head B



---

**1 pcs**     **6.2151.000**     **Cable USB A – mini-DIN 8-pin**  
Controller cable



---

**1 pcs**     **6.2308.050**     **Electrolyte 3 mol/L KCl (50 mL)**  
Electrolyte solution  $c(\text{KCl}) = 3 \text{ mol/L}$  (for Ag/AgCl reference systems)



---

**1 pcs**     **6.2621.070**     **5 mm hex key for IC Sample Processors**



---

**1 pcs**     **6.2621.130**     **Hexagon key 2 mm**  
2 mm.



---

**2 pcs**     **6.3032.220**     **Dosing Unit 20 mL**  
Dosing unit with integrated data chip with 20 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 thread. FEP tubing connection, anti-diffusion buret tip.

