





Accessories for ProfIC Vario 5 AnCat

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery ProfIC Vario 5 AnCat

Qty.	Order no.	Description	
2 pcs	2.786.0040	786 Swing Head Additional equipment for Robotic Sample Processors XL without titration or transfer heads.	
2 pcs	2.800.0010	800 Dosino Drive with write/read hardware for intelligent Dosing Units. With fixed cable (length 150 cm).	
1 pcs	2.815.0130	815 Robotic USB Sample Processor XL (2T/0P) Robotic USB Sample Processor XL for the automatic processing of routine samples in series with large quantities and for complex sample preparation or parallel runs. Up to four pumps (membrane or peristaltic) and three dosing devices for Liquid Handling tasks can be connected. Because of the multitude of application variants, rack, stirrer, titration head, robotic arm, Swing Head and sample vessels must be tailored to the application and ordered separately.	
2 pcs	2.850.9010	IC Conductivity Detector Compact and intelligent high performance conductivity detector for intelligent IC instruments. Outstanding temperature stability, the complete signal processing within the protected detector block and the latest generation of DSP – Digital Signal Processing – guarantee the highest precision of the measurement. No change of measuring ranges (not even automatic ones) is required, due to the dynamic working range.	

1 pcs 2.940.2500 940 Professional IC Vario TWO/SeS/PP

The 940 Professional IC Vario TWO/SeS/PP is the intelligent **two-channel** IC instrument with **sequential suppression** (one channel) and a **peristaltic pump** for suppressor regeneration. The instrument can be used with any separation and detection methods.

Typical areas of application:

- Standard instrument for parallel anion and cation determinations
- Trace analysis for anions and cations
- Online monitoring for anions and cations



1 pcs 6.1462.030 Robotic arm with transfer head for 786 Swing Head, left swinging

Transfer robotic arm for liquid handling purposes



1 pcs 6.1462.040 Robotic arm with transfer head for 786 Swing Head, right swinging

Transfer robotic arm for liquid handling purposes



1 pcs 6.2064.000 Beaker retainer for Advanced IC Sample Processor

Retaining plate for 838 Advanced Sample Processors. For holding 2.5 or 11 mL vials.



1 pcs 6.2064.010 Beaker retainer for Professional IC Sample Processor, right

Retaining plate for Professional IC Sample Processors. For holding 2.5 or 11 mL vials.



2 pcs 6.2629.000 Screw nut to needle holder IC

On Sample Processors



2 pcs **6.2833.000** **Needle/tube holder 1/8 in.**
For IC/VA Sample Processors. For 1/8 in. tubes



1 pcs **6.2841.130** **Liquid Handling Station, right**

Combined rinsing and dilution station for sample changers with two towers and Swing Head. For assembly to the left of the tower.



2 pcs **6.2846.010** **Sample needle made of zirconium oxide with PEEK tip**

Sample needle for Sample Processors and Autosampler in ion chromatography. The PEEK tip guarantees secure piercing of the vial covering.



2 pcs **6.5330.140** **IC equipment: MiPCT**

Accessory set for Inline Preconcentration (MiPCT) including Liquid Handling Station, left.




2 pcs **6.9927.028** **Safety shield for IC, right and left**

Safety shield for 815 Robotic USB Sample Processor XL (2T/0P). Is utilized in IC when sample needles are used.



Optional accessories

Order no.	Description	
2.941.0010	941 Eluent Production Module	
	<p>The 941 Eluent Production Module enables the automatic production of an eluent. It enables continuous working without manual intervention and guarantees stable retention times. It can be combined with all Metrohm IC instruments and is monitored by MagIC Net.</p>	
6.1010.310	Metrosep C PCC 1 HC/4.0	
	<p>For cation preconcentration and matrix elimination</p>	
6.1050.420	Metrosep C 4 - 150/4.0	
	<p>The Metrosep C 4 - 150/4.0 is the universal standard column in cation analysis for accomplishing high separating efficiency in a short time. The Metrosep C 4 - 150/4.0 is the ideal separation column for the analysis of alkaline and earth alkaline metals in aqueous media.</p>	
6.1050.500	Metrosep C 4 Guard/4.0	
	<p>The Metrosep C 4 Guard/4.0 contains the C-4 column material and is used to protect all Metrosep cation columns that have a substrate based on silica gel. Particles and contaminations are reliably retained, allowing the lifetime of the analytical separation column to be prolonged considerably. The economical price is an additional plus. The Metrosep C 4 Guard/4.0 also functions according to the "On Column Guard System" and is screwed directly onto the separation column with nearly no dead volume.</p>	
6.1608.100	PE bottle 50 mL	
	<p>Bottle for Extension Module Liquid Handling.</p>	

6.2741.000 Piston seal

For all IC pumps. Particularly well-suited for eluents with organic solvents.




6.2769.110 EMPTY sensor for level sensor for 2 L bottles

This sensor, mounted in the 6.1626.000 bottle attachment, results in the level sensor EMPTY for 2 L bottles. Included are two sensor rods, one aspiration tubing and two holders for fixing the tubing to one of the sensor rods.



6.2820.000 Al foil

1000 circular sheets of 80 mm diameter. Thickness: 0.010 mm. Used together with 6.2037.030 Foil holder for 6.1432.210 Sample beaker. For 674 KF Sample Changer



6.2832.000 MSM Rotor A

Suppressor rotor for all IC instruments with MSM (Metrohm Suppressor Module)



6.2842.000 MSM-HC Rotor A

Suppressor rotor for all IC instruments with MSM-HC (Metrohm Suppressor Module with high capacity)



6.2842.020 Adapter sleeve for Suppressor Vario

The use of the adapter sleeve makes it possible to install both the Standard MSM and the MSM-LC rotor in the MSM-HC housing.



6.2844.000 MSM-LC Rotor A

Suppressor rotor for use with 2 mm columns.



6.5330.090 IC equipment: Additional eluent on the Eluent Production Module

Accessory set for Eluent Production Module. Contains all parts necessary for expansion by one eluent. The level sensor must be ordered in accordance with the application.



6.6059.322 MagIC Net 3.2 Professional CD: 1 license

Professional PC program for controlling all of the intelligent Professional IC systems, Compact IC instruments and their peripherals, such as various Autosamplers, 800 Dosinos, 771 Compact Interface, etc. The software permits the inspection, data acquisition, data evaluation, data monitoring and report generation of ion chromatographic analyses.

Graphical user interface for routine operations, extensive database programs, method development, configuration and manual system control; very flexible user administration, efficient database operations, extensive data export functions, individually configurable report generator, control and monitoring of all system components and the chromatography results.

MagIC Net Professional complies fully with FDA Regulation 21 CFR Part 11 as well as GLP.

MagIC Net is available in 16 dialog languages.

1 license.



6.6059.323 MagIC Net 3.2 Multi CD: 3 licenses

Professional PC program for controlling all of the intelligent Professional IC systems, Compact IC instruments and their peripherals, such as various Autosamplers, 800 Dosinos, 771 Compact Interface, etc. The software permits the inspection, data acquisition, data evaluation, data monitoring and report generation of ion chromatographic analyses.

Graphical user interface for routine operations, extensive database programs, method development, configuration and manual system control; very flexible user administration, efficient database operations, extensive data export functions, individually configurable report generator, control and monitoring of all system components and the chromatography results.

MagIC Net Multi complies fully with FDA Regulation 21 CFR Part 11 as well as with GLP.

MagIC Net is available in 16 dialog languages.

Client/server version with 3 licenses.



6.9920.191 Sample rack 3 x 60.6 mm and 35 x 41 mm

Sample rack for trace analysis in IC.



