





Accessories for VoltIC pro I

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

Scope of delivery VoltIC pro I

Qty.	Order no.	Description	
1 pcs	2.797.0010	797 VA Computrace for trace analysis	 <p>The 797 VA Computrace is a modern voltammetric measuring stand that is connected to a PC via a USB port. The computer software provided controls the measurement, records the measured data and evaluates it. Operation is most straightforward due to the well-laid-out structure of the program. The integrated potentiostat with galvanostat guarantees the highest sensitivity with reduced noise.</p> <p>Voltammetry system for trace analysis and education. Complete accessories with VA Computrace software and all electrodes for a complete measurement system: Multi-Mode Electrode pro (MME pro), Ag/AgCl reference electrode and Pt auxiliary electrode.</p>
4 pcs	2.800.0010	800 Dosino	 <p>Drive with write/read hardware for intelligent Dosing Units. With fixed cable (length 150 cm).</p>
1 pcs	2.843.0140	843 VA Peristaltic Pump Station for Compact VA systems	 <p>The 843 Peristaltic Pump Station has two built-in peristaltic pumps that can be controlled directly by the 797 VA Computrace via the remote signal. It is used for the automatic rinsing and emptying of the measuring vessel in partly automated and fully automated VA and CVS systems with the 797 VA Computrace.</p> <p>The version for voltammetry is equipped with the complete accessories for the automatic rinsing and emptying of the measuring vessel.</p>
1 pcs	2.850.3040	850 Professional IC AnCat – MSM-HC – MCS	 <p>The 850 Professional IC AnCat – MSM-HC – MCS is an intelligent ion chromatography system for determining cations without suppression and anions with or without high-capacity sequential suppression. It can be operated with various types of detection.</p>

2 pcs 2.850.9010 IC Conductivity Detector

Compact and intelligent high performance conductivity detector for intelligent IC instruments. Outstanding temperature stability, the complete signal processing within the protected detector block and the latest generation of DSP – Digital Signal Processing – guarantee the highest precision of the measurement. No change of measuring ranges (not even automatic ones) is required, due to the dynamic working range.



1 pcs 2.858.0020 858 Professional Sample Processor – Pump

The 858 Professional Sample Processor – Pump processes samples from 500 µL to 500 mL. The sample transfer takes place either with the installed bidirectional two-channel peristaltic pump or with an 800 Dosino.



1 pcs 6.1602.150 Bottle attachment / GL 45 - 3 x UNF 10/32

For the connection of 1/16 in. capillaries. Used in conjunction with MSM auxiliary solutions and in Metrohm Inline Sample Preparation.



1 pcs 6.1608.030 Round glass bottle / 1000 mL / GL 45



2 pcs 6.1608.050 Drying bottle / 100 mL / GL 45



1 pcs **6.1608.070** **Eluent bottle / 2 L / GL 45**



2 pcs **6.1618.060** **Thread adapter GL 45 to GL 45**
Thread adapter GL45 to GL45; e.g. for reagent bottles with extended flange



1 pcs **6.1803.030** **PTFE capillary 0.5 mm i.d. / 3 m**
Capillary for inline dialysis, for Dialysis Unit, IC Dialysis Sample Processor, IC Liquid Handling Dialysis Unit



1 pcs **6.1803.150** **PTFE Capillary i.d. 0.25 mm / 1 m**



1 pcs **6.1805.530** **FEP tubing / M6 / 2 m**
With light and kink protection



1 pcs 6.1808.280 Adapter Dosino port 4, M6 inner

Adapter for use with Dosino port 4 in IC. For connecting to M6 connector.



2 pcs 6.1819.010 PTFE tube

As gas inlet in washing bottle of VA Stand



1 pcs 6.1822.410 PEEK connection capillary

Connection capillary for sample transfer with sample changers, 1 x M6, inner diameter 0.5 mm, for trace analysis



1 pcs 6.1826.020 PVC pump tubing (blue/blue)

For online IC instruments and automation in voltammetry.



1 pcs 6.1831.070 PEEK capillary 0.75 mm i.d., 70 cm

For Advanced VA Sample Processor



1 pcs 6.2041.450 Sample rack 56 x 11 mL + 56 x 50 mL

Multi-row sample rack for 56 samples in 11 mL sample vessels (6.2743.050) and 56 samples in sample vessels of 50 mL (6.2747.010).



1 pcs 6.2055.100 Bottle holder, double

Bottle holder for 2 x 1 L bottles. For 6.5617.000 aspiration equipment



1 pcs **6.2057.040** **Holder for Dosino for Sample Processor**
Holder for Dosino for the 838 / 858 IC Sample Processor and the 838 Advanced VA Sample Processor



1 pcs **6.2134.100** **RS-232 cable, 5 m, DB9 – DB9**
Connecting Metrohm RS-232 interface to Titrinos, 756 KF Coulometer, 762 or 771 IC Interfaces, 790 Personal IC, 743 Rancimat, 763 PVC Thermomat, 873 Biodiesel Rancimat.



1 pcs **6.2141.290** **Connection cable 843 Pump Station to 838 Advanced Sample Processor**
Cable for the remote connection of the 843 Pump Station with the 838 Advanced Sample Processor.



1 pcs **6.2148.010** **Remote Box MSB**
Additional remote interface for the connection of devices that can be controlled via remote lines. With permanently attached cable.



2 pcs **6.2148.050** **USB/RS-232 Converter for 900 Touch Control**
Extends the 900 Touch Control by an RS-232 interface for the connection of e.g. balance.



1 pcs **6.2743.057** **Sample tubes 11 mL**
200 pieces. For IC Sample Processors and VA Autosampler



1 pcs **6.2743.077** **Stopper with perforation**
200 pieces. For IC Sample Processors



1 pcs **6.2744.034** **Coupling olive/UNF 10/32, 2x**

Connection between pressure screw and pump tubing. 2 pieces. For IC instruments with peristaltic pump.



1 pcs **6.2744.070** **Pressure screw short**

Short version. With UNF 10/32 connection. 5 pieces. For the connection of PEEK capillaries



3 pcs **6.2744.080** **M6 thread / UNF 10/32 adapter**

With M6 outer thread. For IC instruments.



1 pcs **6.2747.010** **Sample vessel 50 mL**

With blue screw cap and mL graduation. Set of 25 pieces.



2 pcs **6.3032.120** **Dosing Unit 2 mL**

Dosing unit with integrated data chip with 2 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 glass thread. FEP tubing connection, anti-diffusion buret tip.



2 pcs 6.3032.210 Dosing Unit 10 mL

Dosing unit with integrated data chip with 10 mL glass cylinder and light protection, mountable on reagent bottle with ISO/DIN GL45 thread. FEP tubing connection, anti-diffusion buret tip.



1 pcs 6.5620.000 Connecting set to Dosing Unit: port 4

For connecting a tubing to port 4 of the Dosing Unit (Luer to M6), incl. fixation

