





## Accessories for 2.1001.0210

Below, the accessories are grouped into Scope of delivery and Optional accessories.  
Please keep this printout at hand for ordering replacement material.  
These lists may be subject to change.

### Scope of delivery 2.1001.0210

Qty.	Order no.	Description	
1 pcs	1.1001.0010	<b>OMNIS Titrator</b>  OMNIS Titrator without magnetic stirrer	
1 pcs	6.01600.010	<b>OMNIS Liquid Adapter</b>  Adapter for connecting reagent bottles with 3S technology to an OMNIS Titrator, Titration Module or Dosing Module.	
1 pcs	6.01601.000	<b>Bottle cap, multi-use</b>  Reusable bottle cap with 3S technology for connecting reagent bottles to an OMNIS Titrator, Titration Module or Dosing Module.	
1 pcs	6.02004.010	<b>Bottle holder</b>  Bottle holder for OMNIS Titrator, Titration Module and Dosing Module.	

---

**1 pcs    6.02005.010    Electrode Parking Station**

Electrode Parking Station for electrode storage on an OMNIS titration system.



---

**1 pcs    6.06001.910    Function license Advanced**

"Advanced" function license for one OMNIS Titrator

- Liquid Handling (LQH)
- MEAS U/T/pH
- Calibration (Cal)
- Endpoint titration without conditioning (SET)
- Monotonic equivalence point titration (MET)
- Dynamic equivalence point titration (DET)

OMNIS  
A WHOLE NEW LEVEL OF PERFORMANCE

---

**1 pcs    6.1546.030    Extractor rod**

For PTFE piston of dosing unit








---

**1 pcs    6.1608.020    Glass bottle / 1000 mL / GL 45**

Bottle for auxiliary solutions.



## Optional accessories

Order no.	Description	
<b>2.1002.0010</b>	<b>OMNIS Titration Module without stirrer</b>	
	Titration module for connection to an OMNIS Titrator for extending the system to include an additional buret for titration/dosing and up to two measuring modules (analog or digital). Can be supplemented with one magnetic stirrer or rod stirrer for use as separate titration stand. Freely selectable cylinder unit with 5, 10, 20 or 50 mL.	
<b>2.1002.0110</b>	<b>OMNIS Titration Module with magnetic stirrer</b>	
	Titration module with magnetic stirrer for connection to an OMNIS Titrator for extending the system to include an additional titration stand, a buret for titration/dosing and up to two measuring modules (analog or digital). Freely selectable cylinder unit with 5, 10, 20 or 50 mL.	
<b>2.1003.0010</b>	<b>OMNIS Dosing Module without stirrer</b>	
	Dosing module for connection to an OMNIS Titrator for extending the system to include an additional buret for titration/dosing. Can be supplemented with one magnetic stirrer or rod stirrer for use as separate titration stand. Freely selectable cylinder unit with 5, 10, 20 or 50 mL.	
<b>2.1003.0110</b>	<b>OMNIS Dosing Module with magnetic stirrer</b>	
	Dosing module with magnetic stirrer for connection to an OMNIS Titrator for extending the system to include an additional titration stand and a buret for titration/dosing. Freely selectable cylinder unit with 5, 10, 20 or 50 mL.	
<b>6.00200.300</b>	<b>dUnitrode with Pt1000</b>	
	Digital, combined pH electrode for OMNIS with integrated Pt1000 temperature sensor. This electrode is particularly suitable: <ul style="list-style-type: none"> <li>- for pH measurements and titrations in difficult, viscous, or alkaline samples</li> <li>- at elevated temperatures</li> <li>- for long-term measurements</li> </ul> The fixed ground-joint diaphragm is insensitive to contamination. <p>Reference electrolyte: c(KCl) = 3 mol/L, storage in storage solution.  Alternatively: reference electrolyte for measurements at T&gt;80°C: Idrolyte, storage in Idrolyte.</p>	

---

**6.00201.300      dEcotrode plus**

Digital, combined pH electrode for OMNIS.  
This electrode is suitable for aqueous acid/base titrations.  
The fixed ground-joint diaphragm is insensitive to contamination.  
Reference electrolyte:  $c(\text{KCl}) = 3 \text{ mol/L}$ , storage in storage solution.



---

**6.00202.300      dAquatrode Plus with Pt1000**

Digital, combined pH electrode for OMNIS, with integrated Pt1000 temperature sensor, for pH measurements/titrations in ion-deficient aqueous media (e.g., drinking water, process water). This electrode shows a very short response time in these samples.  
The fixed ground-joint diaphragm is insensitive to contamination.  
When  $c(\text{KCl}) = 3 \text{ mol/L}$  is used as bridge electrolyte, storage in storage solution is recommended.  
The bridge electrolyte can be easily replaced with a chloride-free electrolyte (e.g., potassium nitrate  $c(\text{KNO}_3) = 1 \text{ mol/L}$  (6.2310.010)). Storage in the used bridge electrolyte.



---

**6.00203.300      dSolvotrode**

Digital, combined pH electrode for OMNIS for all non-aqueous acid/base titrations. The glass membrane is optimized for poorly conducting solutions, and thanks to the flexible ground-joint diaphragm, the electrode is well suited for contaminated samples.

This electrode can be used with non-aqueous reference electrolytes (lithium chloride or tetraethylammonium bromide).

Storage in the respective reference electrolyte.



---

**6.00204.300      dProfitrode**

Digital, combined pH electrode for OMNIS with double-junction construction. This electrode is suitable for pH measurements/titrations of samples:

- that contaminate the reference system of the electrode (e.g., galvanic baths, samples containing sulfides)
- for which potassium chloride  $c(\text{KCl}) = 3 \text{ mol/L}$  cannot be used as reference electrolyte (e.g., reaction of potassium or chloride with sample)

The electrode is equipped with a flexible ground-joint diaphragm which is insensitive to contamination and which can be exchanged when needed.

When  $c(\text{KCl}) = 3 \text{ mol/L}$  is used as as bridge electrolyte, storage in storage solution is recommended.

The bridge electrolyte can be easily replaced with a suitable electrolyte (e.g., potassium nitrate  $c(\text{KNO}_3) = 1 \text{ mol/L}$  (6.2310.010)). Storage in the used bridge electrolyte.



---

**6.00401.300      dPt Titrode**

Digital, combined platinum ring electrode for OMNIS with a pH glass membrane as reference electrode.  
This maintenance-free electrode is well suited for redox titrations when the pH value remains constant, e.g.:

- iodometry
- chromatometry
- cerimetry
- permanganometry

This electrode is stored in deion. water.



---

**6.00402.300 dAg ring electrode**

Digital, combined silver ring electrode for OMNIS with fixed ground-joint diaphragm.  
This electrode is suitable for precipitation titrations where the pH value varies (titrant silver nitrate) of, e.g.:

- chloride, bromide, iodide
- sulfides
- hydrogen sulfide
- mercaptans
- cyanides



The fixed ground-joint diaphragm is insensitive to contamination.  $c(\text{KNO}_3) = 1 \text{ mol/L}$  is used as reference electrolyte and storage solution.

---

**6.00403.300 dPt ring electrode**

Digital, combined platinum ring electrode for OMNIS with fixed ground-joint diaphragm.  
This electrode is well suited for redox titrations when the pH value varies, e.g.:

- oxygen content according to Winkler
- determination of hydrogen peroxide with  $\text{KMnO}_4$
- diazotization titrations



The fixed ground-joint diaphragm is insensitive to contamination.  $c(\text{KCl}) = 3 \text{ mol/L}$  is used as reference electrolyte and storage solution.

---

**6.00502.300 Combined dCa ISE**

Digital, combined calcium-selective electrode for OMNIS.  
This ISE is suitable for:

- ion measurements of  $\text{Ca}^{2+}$  ( $1 \cdot 10^{-7}$  to  $1 \text{ mol/L}$ ) in aqueous solutions
- complexometric (back) titrations (e.g., determination of water hardness)



Thanks to a robust/break-proof plastic shaft made of propylene and an impact protection for the polymer membrane, this sensor is mechanically very resistant.  
The reference electrolyte used is  $c(\text{KCl}) = 3 \text{ mol/L}$ .

---

**6.01503.120 OMNIS 2 mL cylinder unit without accessories**

Intelligent 2 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Without dosing tubing and antidiffusion tip.



---

**6.01503.150      OMNIS 5 mL cylinder unit without accessories**

Intelligent 5 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Without dosing tubing and antidiffusion tip.



---

**6.01503.210      OMNIS 10 mL cylinder unit without accessories**

Intelligent 10 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Without dosing tubing and antidiffusion tip.



---

**6.01503.220      OMNIS 20 mL cylinder unit without accessories**

Intelligent 20 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Without dosing tubing and antidiffusion tip.



---

**6.01503.250      OMNIS 50 mL cylinder unit without accessories**

Intelligent 50 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Without dosing tubing and antidiffusion tip.



---

**6.02104.000      Electrode cable plug-in head G / plug P, 0.55 m**

Cable for connecting an analog electrode (plug-in head G) to an analog measuring module from OMNIS.



---

**6.02104.010      Electrode cable plug-in head G / plug P, 1.5 m**

Cable for connecting an analog electrode (plug-in head G) to an analog measuring module from OMNIS.



---

**6.02104.020      Electrode cable plug-in head G (temp.) / plug P, 0.55 m**

Cable for connecting a temperature sensor (head G) to an analog measuring module from OMNIS.



---

**6.02104.030      Electrode cable plug-in head G (temp.) / plug P, 1.5 m**

Cable for connecting a temperature sensor (head G) to an analog measuring module from OMNIS.



---

**6.02104.040      Electrode cable plug-in head G (pol.) / plug P, 0.55 m**

Cable for connecting an analog polarizable electrode (plug-in head G) to an analog measuring module from OMNIS.



---

**6.02104.050      Electrode cable plug-in head G (pol.) / plug P, 1.5 m**

Cable for connecting an analog polarizable electrode (plug-in head G) to an analog measuring module from OMNIS.



---

**6.02104.300      Electrode cable plug-in head Q / plug P, 0.55 m**

Cable for connecting a dTrode (plug-in head Q) to the digital measuring module from OMNIS.



---

**6.02104.310      Electrode cable plug-in head Q / plug P, 1.5 m**

Cable for connecting a dTrobe (plug-in head Q) to the digital measuring module from OMNIS.




---

**6.02104.600      Electrode cable plug-in head U / plug P, 0.55 m**

Cable for connecting an electrode with plug-in head U to an analog measuring module from OMNIS.




---

**6.02104.610      Electrode cable plug-in head U / plug P, 1.5 m**

Cable for connecting an electrode with plug-in head U to an analog measuring module from OMNIS.




---

**6.02106.000      Liquid Adapter extension cable, 0.55 m**

Extension cable (0.55 m in length) for connecting an OMNIS Liquid Adapter to an OMNIS Titrator, Titration Module or Dosing Module.




---

**6.02106.010      Liquid Adapter extension cable, 2 m**

Extension cable (2 m in length) for connecting an OMNIS Liquid Adapter to an OMNIS Titrator, Titration Module or Dosing Module.




---

**6.03001.120      OMNIS 2 mL cylinder unit**

Intelligent 2 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Includes dosing tubing and antidiffusion tip.




---

**6.03001.150      OMNIS 5 mL cylinder unit**

Intelligent 5 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Includes dosing tubing and antidiffusion tip.




---

**6.03001.210      OMNIS 10 mL cylinder unit**

Intelligent 10 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Includes dosing tubing and antidiffusion tip.





---

**6.03001.220      OMNIS 20 mL cylinder unit**

Intelligent 20 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Includes dosing tubing and antidiffusion tip.



---

**6.03001.250      OMNIS 50 mL cylinder unit**

Intelligent 50 mL cylinder unit for an OMNIS Titrator, Titration Module or Dosing Module. Includes dosing tubing and antidiffusion tip.



---

**6.05609.000      KFT equipment for OMNIS Titrator**

Complete accessory set for volumetric Karl Fischer titration.



---

**6.05609.010      KFT equipment for OMNIS Titrator with Polytron**

Complete accessory set for volumetric Karl Fischer titration with Polytron.



---

**6.06001.160      Function license KFT with conditioning**

Function license for volumetric Karl Fischer titration with conditioning for an OMNIS titration system.



---

**6.06001.320      Function license for 5 parallel titrations**

Function license for a maximum of five parallel titrations using one OMNIS Titrator with additional Titration Modules or Dosing Modules.



---

**6.06006.020      Function license Upgrade Advanced-Professional**

Function license for the upgrade of one OMNIS Titrator: Advanced to Professional.

