






Accessories for ProfIC Vario 1 Anion DR

Below, the accessories are grouped into Scope of delivery and Optional accessories.
Please keep this printout at hand for ordering replacement material.
These lists may be subject to change.

Scope of delivery ProfIC Vario 1 Anion DR

Qty.	Order no.	Description	
1 pcs	2.800.0010	800 Dosino	
		Drive with write/read hardware for intelligent Dosing Units. With fixed cable (length 150 cm).	
1 pcs	2.850.9010	IC Conductivity Detector	
		Compact and intelligent high performance conductivity detector for intelligent IC instruments. Outstanding temperature stability, the complete signal processing within the protected detector block and the latest generation of DSP – Digital Signal Processing – guarantee the highest precision of the measurement. No change of measuring ranges (not even automatic ones) is required, due to the dynamic working range.	
1 pcs	2.858.0020	858 Professional Sample Processor – Pump	
		The 858 Professional Sample Processor – Pump processes samples from 500 µL to 500 mL. The sample transfer takes place either with the installed bidirectional two-channel peristaltic pump or with an 800 Dosino.	
1 pcs	2.940.1400	940 Professional IC Vario ONE/SeS	
		The 940 Professional IC Vario ONE/SeS is the intelligent IC instrument for applications with sequential suppression . An 800 Dosino can be used for the regeneration of the suppressor. The instrument can be used with any separation and detection methods.	
		Typical areas of application:	
		<ul style="list-style-type: none"> • Anion or cation determinations with sequential suppression • Trace analysis for anions or cations • Online monitoring for anions or cations 	
1 pcs	6.5330.190	IC equipment: Dosino regeneration	
		Accessory set for the assembly of a Dosino for automatic regeneration of the Metrohm Suppressor Module (MSM).	

Optional accessories

Order no.	Description	
2.941.0010	941 Eluent Production Module	
	<p>The 941 Eluent Production Module enables the automatic production of an eluent. It enables continuous working without manual intervention and guarantees stable retention times. It can be combined with all Metrohm IC instruments and is monitored by MagIC Net.</p>	
6.2041.440	Sample rack 148 x 11 mL + 3 x 300 mL	
	<p>Sample rack for 148 x 11 mL samples with 3 rinsing beakers.</p>	
6.2041.760	Sample rack 54 x 11 mL + 1 x 300 mL	
	<p>Sample rack with small diameter for 54 x 11 mL sample vessels in two rows and additionally 1 x 300 mL bottle.</p>	
6.2741.000	Piston seal	
	<p>For all IC pumps. Particularly well-suited for eluents with organic solvents.</p>	
6.2743.040	Sample tubes 2.5 mL	
	<p>2.5 mL. 2000 pieces. For IC Sample Processors</p>	

6.2743.050 **Sample tubes 11 mL**

2000 pieces. For IC Sample Processors and VA Autosampler



6.2743.070 **Stopper with perforation**

2000 pieces. For IC Sample Processors



6.2832.000 **MSM Rotor A**

Suppressor rotor for all IC instruments with MSM (Metrohm Suppressor Module)



6.2842.000 **MSM-HC Rotor A**

Suppressor rotor for all IC instruments with MSM-HC (Metrohm Suppressor Module with high capacity)



6.2842.020 **Adapter sleeve for Suppressor Vario**

The use of the adapter sleeve makes it possible to install both the Standard MSM and the MSM-LC rotor in the MSM-HC housing.



6.2842.200

MSM-HC Rotor C

Suppressor rotor for all IC instruments with MSM-HC drive (Metrohm Suppressor Module with high capacity) for cation suppression.



6.2844.000

MSM-LC Rotor A

Suppressor rotor for use with 2 mm columns.



6.5330.130

IC equipment: Liquid Handling Station, left

Accessory set for assembling the Liquid Handling Station on the Professional Sample Processor. The rinsing water supply can be accomplished by means of a peristaltic pump or a Dosino.



6.6059.322

MagIC Net 3.2 Professional CD: 1 license

Professional PC program for controlling all of the intelligent Professional IC systems, Compact IC instruments and their peripherals, such as various Autosamplers, 800 Dosinos, 771 Compact Interface, etc. The software permits the inspection, data acquisition, data evaluation, data monitoring and report generation of ion chromatographic analyses.

Graphical user interface for routine operations, extensive database programs, method development, configuration and manual system control; very flexible user administration, efficient database operations, extensive data export functions, individually configurable report generator, control and monitoring of all system components and the chromatography results.

MagIC Net Professional complies fully with FDA Regulation 21 CFR Part 11 as well as GLP.

MagIC Net is available in 16 dialog languages.

1 license.



6.6059.323**MagIC Net 3.2 Multi CD: 3 licenses**

Professional PC program for controlling all of the intelligent Professional IC systems, Compact IC instruments and their peripherals, such as various Autosamplers, 800 Dosinos, 771 Compact Interface, etc. The software permits the inspection, data acquisition, data evaluation, data monitoring and report generation of ion chromatographic analyses.

Graphical user interface for routine operations, extensive database programs, method development, configuration and manual system control; very flexible user administration, efficient database operations, extensive data export functions, individually configurable report generator, control and monitoring of all system components and the chromatography results.

MagIC Net Multi complies fully with FDA Regulation 21 CFR Part 11 as well as with GLP.

MagIC Net is available in 16 dialog languages.

Client/server version with 3 licenses.
