





## Accessories for 2.881.0010

Below, the accessories are grouped into Scope of delivery and Optional accessories.  
Please keep this printout at hand for ordering replacement material.  
These lists may be subject to change.

### Scope of delivery 2.881.0010

Qty.	Order no.	Description	
1 pcs	1.881.0010	<b>881 Compact IC pro – Cation</b>	
		The 881 Compact IC pro – Cation is an intelligent ion chromatograph of compact design with column oven for the determination of anions, cations or polar substances without suppression. It can be operated with various types of detection.	
1 pcs	6.1602.160	<b>Bottle attachment GL 45 for eluents and reagents</b>	
		For eluent, reagent, and rinsing bottles, with connectors for the adsorber tube and the aspiration tubing.	
1 pcs	6.1602.210	<b>Attachment 5 x UNF 10/32 for «Waste Collector»</b>	
		Attachment for holding up to 5 waste capillaries.	
1 pcs	6.1608.070	<b>Eluent bottle / 2 L / GL 45</b>	

---

**1 pcs**    **6.1609.000**    **Adsorbing tube, large and bent**  
For filling with adsorber material.



---

**1 pcs**    **6.1803.040**    **PTFE capillary 0.5 mm i.d. / 1 m**  
Capillary for sample handling in IC.



---

**1 pcs**    **6.1807.010**    **Y-connector for tubing 6-9 mm i.d.**  
Connector for waste tubing



---

**2 pcs**    **6.1816.020**    **Silicone tubing 6 mm i.d., 1 m**  
For waste tubing.



---

**1 pcs**    **6.1816.080**    **Silicone tubing 6 mm i.d. / 2 m**

Drainage tubing to the "Waste Collector".



---

**1 pcs**    **6.2023.020**    **Clip for SGJ 14/15**

Clip for SGJ 14/16



---

**1 pcs**    **6.2057.220**    **Holder to Waste Collector**

Holder for fastening the Waste Collector to the IC instrument.



---

**1 pcs**    **6.2151.020**    **Cable USB A - USB B 1.8 m**

USB connecting cable



---

**1 pcs**    **6.2251.000**    **Colored sleeves for capillaries**

Colored pieces of heat shrink tubing for capillary coding. Three pieces each of five different colors.



---

**1 pcs**     **6.2617.010**     **Tool for piston seal**  
For removing and assembling the piston seal for all standard pump heads



---

**2 pcs**     **6.2621.000**     **Adjustable wrench**  
Max. opening: 20 mm. For IC instruments



---

**1 pcs**     **6.2621.030**     **Hexagon key 4 mm**



---

**1 pcs**     **6.2621.050**     **1/4 in. wrench**  
For 1/4 in. screws. For IC instruments



---

**1 pcs**     **6.2621.080**     **Capillary cutter**  
For plastic capillaries. Used with IC instruments



---

**1 pcs**      **6.2621.100**      **3 mm hex key for IC Sample Processors**



---

**1 pcs**      **6.2626.000**      **Drain nozzle (ProfIC)**  
Drain nozzle for Professional IC instruments, for mounting on front panel



---

**2 pcs**      **6.2739.000**      **Wrench**  
For tightening connectors



---

**1 pcs**      **6.2743.080**      **Stopper for overflow (ProfIC), 5 pieces**  
For Professional IC instruments



---

**1 pcs**      **6.2744.014**      **Pressure screw 2x**  
With UNF 10/32 connection. For the connection of PEEK capillaries



---

**1 pcs**     **6.2744.020**     **Luer/UNF coupling**  
For IC instruments



---

**1 pcs**     **6.2744.040**     **2 x UNF 10/32 coupling**  
For connecting 1/16 in. capillaries. For IC instruments



---

**1 pcs**     **6.2744.070**     **Pressure screw short**  
Short version. With UNF 10/32 connection. 5 pieces. For the connection of PEEK capillaries



---

**1 pcs**     **6.2744.210**     **Tubing adapter for aspiration filter (ProfIC)**  
For Professional IC instruments



---

**1 pcs**     **6.2765.000**     **Container with GL 45 drainage to the "Waste Collector"**

Container with drainage to the "Waste Collector".



---

**1 pcs**     **6.2816.020**     **Syringe 10 mL with Luer connection**  
For various applications in IC and VA



---

**1 pcs**     **6.2816.040**     **Purge tubing**  
With PTFE tubing and Luer connection. For syringes. For aspirating eluents.



---

**1 pcs**     **6.2821.090**     **Aspiration filter**  
Pore size 20 µm, set of 5 pieces. For 6.1834.000 Aspiration tubing and 6.1821.040 and 6.1821.050 Filter tubes.









---

**1 pcs**     **6.2821.130**     **Spare filter for inline filter**  
Spare filter for inline filter.



## Optional accessories

Order no.	Description	
<b>2.850.9010</b>	<b>IC Conductivity Detector</b>	 <p>Compact and intelligent high performance conductivity detector for intelligent IC instruments. Outstanding temperature stability, the complete signal processing within the protected detector block and the latest generation of DSP – Digital Signal Processing – guarantee the highest precision of the measurement. No change of measuring ranges (not even automatic ones) is required, due to the dynamic working range.</p>
<b>2.850.9110</b>	<b>IC Amperometric Detector</b>	 <p>Compact and intelligent amperometric detector for intelligent IC instruments. Outstanding selectivity due to the four measuring modes: DC, PAD, flexIPAD and CV, as well as the excellent signal/noise ratio and the very fast stabilization of the measuring signal guarantee the highest in measurement precision.</p>
<b>2.896.0010</b>	<b>896 Professional Detector – Conductivity</b>	 <p>Intelligent stand-alone detector equipped with a high-performance IC Conductivity Detector. For use with intelligent IC instruments or as independent conductivity detector.</p>
<b>2.896.0020</b>	<b>896 Professional Detector – Amperometry</b>	 <p>Intelligent stand-alone detector equipped with the IC Amperometric Detector. With outstanding selectivity due to the four measuring modes: DC, PAD, flexIPAD and CV, as well as the excellent signal/noise ratio and very fast stabilization of the measuring signal guarantee highest precision of the measurement. For use with intelligent IC instruments or as independent detector.</p>
<b>6.2617.040</b>	<b>Tool for piston seal, macro</b>	 <p>For removing and assembling the piston seal for all macro pump heads</p>
<b>6.2741.040</b>	<b>PE/PTFE piston seal, macro</b>	 <p>For all macro pump heads</p>



---

**6.2824.130                    Macro pump head PEEK**

Macro pump head for intelligent IC instruments, flow range 0.1...20 mL/min, maximum pressure 12.5 MPa.



---

**6.5333.000                    IQ/OQ Kit for IC**

The IQ/OQ Kit contains all parts and standard solutions required for IQ/OQ in ion chromatography.

