









## Accessories for ProfIC 1 - Cation

Below, the accessories are grouped into Scope of delivery and Optional accessories. Please keep this printout at hand for ordering replacement material. These lists may be subject to change.

### Scope of delivery ProfIC 1 - Cation

Qty.	Order no.	Description	
1 pcs	2.850.1010	<b>850 Professional IC Cation</b> The 850 Professional IC Cation is an intelligent ion chromatography system for determining anions or cations without suppression. It can be operated with various types of detection.	
1 pcs	2.850.9010	<b>IC Conductivity Detector</b> Compact and intelligent high performance conductivity detector for intelligent IC instruments. Outstanding temperature stability, the complete signal processing within the protected detector block and the latest generation of DSP – Digital Signal Processing – guarantee the highest precision of the measurement. No change of measuring ranges (not even automatic ones) is required, due to the dynamic working range.	
1 pcs	2.858.0020	<b>858 Professional Sample Processor – Pump</b> The 858 Professional Sample Processor – Pump processes samples from 500 µL to 500 mL. The sample transfer takes place either with the installed bidirectional two-channel peristaltic pump or with an 800 Dosino.	

## Optional accessories

Order no.	Description	
<b>6.1050.420</b>	<b>Metrosep C 4 - 150/4.0</b>	
	<p>The Metrosep C 4 - 150/4.0 is the universal standard column in cation analysis for accomplishing high separating efficiency in a short time. The Metrosep C 4 - 150/4.0 is the ideal separation column for the analysis of alkaline and earth alkaline metals in aqueous media.</p>	
<b>6.1050.500</b>	<b>Metrosep C 4 Guard/4.0</b>	
	<p>The Metrosep C 4 Guard/4.0 contains the C-4 column material and is used to protect all Metrosep cation columns that have a substrate based on silica gel. Particles and contaminations are reliably retained, allowing the lifetime of the analytical separation column to be prolonged considerably. The economical price is an additional plus. The Metrosep C 4 Guard/4.0 also functions according to the "On Column Guard System" and is screwed directly onto the separation column with nearly no dead volume.</p>	
<b>6.1608.080</b>	<b>Bottle / 300 mL</b>	
	<p>Rinsing vessel for IC Sample Processors.</p>	
<b>6.2041.440</b>	<b>Sample rack 148 x 11 mL + 3 x 300 mL</b>	
	<p>Sample rack for 148 x 11 mL samples with 3 rinsing beakers.</p>	
<b>6.2041.760</b>	<b>Sample rack 54 x 11 mL + 1 x 300 mL</b>	
	<p>Sample rack with small diameter for 54 x 11 mL sample vessels in two rows and additionally 1 x 300 mL bottle.</p>	

---

**6.2743.040**                      **Sample tubes 2.5 mL**

2.5 mL. 2000 pieces. For IC Sample Processors



---

**6.2743.050**                      **Sample tubes 11 mL**

2000 pieces. For IC Sample Processors and VA Autosampler



---

**6.2743.070**                      **Stopper with perforation**

2000 pieces. For IC Sample Processors



---

**6.5333.000**                      **IQ/OQ Kit for IC**

The IQ/OQ Kit contains all parts and standard solutions required for IQ/OQ in ion chromatography.

